GK2120 v2.1



Safety Data Sheet

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

1.

Product code	: GK2120
Product name	: Titanium(IV) n-butoxide
CAS number	: 5593-70-4
EINECS	: 227-006-8
Physical form	: liquid, substance
REACH	: A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company name	:	Glentham Life Sciences Ltd	Telephone	:	+44 (0) 1225 667 798
		Unit 5 Leafield Way	Fax	:	+44 (0) 2033 978 909
		Corsham SN13 9SW	Email	:	info@glentham.com
		United Kingdom	Web	:	www.glentham.com

1.4 Emergency telephone number

Emergency telephone : NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 – 17.00 GMT) number

2. Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H226	Flam. Liq. 3
H315	Skin Irr. 2
H318	Eye Dam. 1
H335	STOT SE 3
H336	STOT SE 3

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms



Signal words	Danger
Hazard statements	
H226	Flammable liquid and vapour
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
Precautionary statemer	nts
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P264	Wash face, hands and any exposed skin thoroughly after handling.

Glentham

Safety Data Sheet

www.glentham.com

Avoid breathing vapors.

2.3 Other hazards

РВТ

This substance is not identified as a PBT substance.

3.0 Composition/information on ingredients

3.1 Substances

Identifier	%	Classification	
CAS: 5593-70-4 EC: 227-006-8 REACH: Not applicable	13.9%	H226, Flam. Liq. 3 H315, Skin Irr. 2 H318, Eye Dam. 1 H335, STOT S5 3	
	CAS: 5593-70-4 EC: 227-006-8 REACH: Not	CAS: 5593-70-4 13.9% EC: 227-006-8 REACH: Not	CAS: 5593-70-4 13.9% H226, Flam. Liq. 3 EC: 227-006-8 H315, Skin Irr. 2 REACH: Not H318, Eye Dam. 1

4. First aid measures

4.1 Description of first aid measures

Skin contact	Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water.
Eye contact	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water.
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be mild irritation at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. There may be irritation and redness.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from the mouth or nose. There may be irritation of the throat. There may be soreness and redness of the mouth and throat.
Inhalation	Drowsiness or mental confusion may occur. Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Eye bathing equipment should be available on the premises.

5. Fire-fighting measures

5.1 Extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Water spray.

5.2 Special hazards arising from the substance or mixture



Safety Data Sheet

www.glentham.com

Exposure hazards

Corrosive. Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. Eliminate all sources of ignition. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Substance (CAS)	Control Parameter	Control Parameter Value		Source
Butan-1-ol (71-36-3)	Short-term Exposure Limit (ppm)	50	Sk	UK HSE EH40/2005
	Short-term Exposure Limit (mg m ⁻³)	154		

8.2 Exposure controls

Engineering measures	Ensure lighting and electrical equipment are not a source of ignition. Ensure there is exhaust ventilation of the area. Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.

Glentham

Safety Data Sheet

www.glentham.com

Eye protection	Tightly fitting safety goggles	s. Ensure eye bath is to hand. Safety glasses.
Skin protection	Protective clothing.	
Physical and chemic	cal properties	
Information on basic	c physical and chemical proper	rties
Physical state		Liquid
Colour		Yellow
Odour		No data available.
Melting point/Free		-75 °C 117 °C
Flammability	l boiling point/boiling range	Flammable liquid and vapour
Lower/Upper expl	osion limit	No data available.
Flash Point		No data available.
Auto-ignition temp		No data available.
Decomposition ter	mperature	No data available.
pH Kinomotia viacosit	h.	No data available. No data available.
Kinematic viscosit Solubility	ly	No data available.
Partition coefficier	nt n-octanol/water	No data available.
Vapour pressure		No data available.
Density/relative de		0.996
Relative vapour p		No data available.
Particle character	ISTICS	No data available.
Other information		
no data avaliable.		
Stability and reactive	ity	
Reactivity		
Stable under recomm	nended transport or storage co	nditions.
Chemical stability		
	erature. Stable under normal co	onditions.
Possibility of hazard	lous reactions	
Hazardous reactions		
Decomposition may transport or storage		s or materials listed below. Hazardous reactions will not occur under normal
Conditions to avoid		
	s. Sources of ignition. Heat.	
Incompatible materia	als	
Materials to avoid		
Strong acids. Strong	oxidising agents.	
Toxicological inform	nation	
Information on toxic	ological effects	
Acute toxicity Butan-1-ol		
	a (Daphnia magna) (Aquatic): 1	1982 ma/L
	a (Daphnia magna) (Aquatic): 2	
LD50 Rabbit (Derma	l): 4.2 g/kg	
4 hr LC50 Rat (Inhal	ation): 8000 ppm	
LD50 Rat (IV): 310 n	ng/kg	
LD50 Rat (Oral): 0.7		
Skin corrosion/irrita		

- b) Skin corrosion/irritation Skin corrosion/irritation (Category 2)
- c) Serious eye damage/irritation



Safety Data Sheet

www.glentham.com

Serious eye damag	e/eye irritation	(Category 1)

d) Respiratory or skin sensitisation No data available.

- e) Germ cell mutagenicity No data available.
- f) Carcinogenicity No data available.
- g) Reproductive toxicity No data available.

h) STOT-single exposure

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)

i) STOT-repeated exposure No data available.

j) Aspiration hazard

No data available.

11.2 Symptoms / routes of exposure

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be mild irritation at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. There may be irritation and redness.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from the mouth or nose. There may be irritation of the throat. There may be soreness and redness of the mouth and throat.
Inhalation	Drowsiness or mental confusion may occur. Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure.
Other information	No data available.

Ecological information

12.1 Toxicity

12.

No data available.

^{12.2} Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

^{12.6} Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods



Safety Data Sheet

www.glentham.com

Disposal operations


Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN1993	UN1993	UN1993	UN1993	UN1993
14.2. UN proper shipping na	me			
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
Transport document descrip	tion			
UN1993 FLAMMABLE LIQUID, N.O.S. (TITANIUM(IV) N-BUTOXIDE), 3, III	UN1993 FLAMMABLE LIQUID, N.O.S. (TITANIUM(IV) N-BUTOXIDE), 3, III	UN1993 Flammable liquid, n.o.s. (Titanium(IV) n-butoxide), 3, III	UN1993 FLAMMABLE LIQUID, N.O.S. (TITANIUM(IV) N-BUTOXIDE), 3, III	UN1993 FLAMMABLE LIQUID, N.O.S. (TITANIUM(IV) N-BUTOXIDE), 3, III



15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtu	15.1	Safety, health and environmental	I regulations/legislation specific for the substance or mixtu
---	------	----------------------------------	---

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Authorisations/Restrictions	
Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation:	No data available.
Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances:	No data available.
Regulation (EC) 1005/2009 on substances that deplete the ozone layer:	No data available.
Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021:	No data available.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts

GK2120 v2.1



Safety Data Sheet

www.glentham.com

Flammable liquid and vapour
Causes skin irritation
Causes serious eye damage
May cause respiratory irritation
May cause drowsiness or dizziness

Abbreviations Full Texts

ADN ADR ALARP CAS CLP COSHH EC Number EC50 EILINCS EINECS	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road As low as is reasonably practicable Chemical Abstracts Service Classification, Labelling and Packaging Regulations Control of Substances Hazardous to Health European Community Number Effective Concentration 50% European List of Notified Chemical Substances European Inventory of Existing Commercial Chemical Substances
GHS	Globally Harmonised System
HSE	Health & Safety Executive UK
IATA IM	International Air Transport Association
IMDG	The International Maritime Dangerous Goods Code
IP	Intraperitoneal
IV	Intravascular
LD50	Lethal Dose 50%
LOEC	Lowest Observable Effective Concentration
LTEL	Long Term Exposure Limit
NOEC	No Observable Effective Concentration
OECD	Organisation for Economic Cooperations and Development
PBT	Persistent Bioaccumulative Toxic
PPE	Personal Protective Equipment
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations Concerning the International Carriage of Dangerous Goods by Rail
SC SDS	Subcutaneous
STEL	Safety Data Sheet Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL	Workplace Exposure Limits
	·····

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glentham Life Sciences Limited. All rights reserved.