

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

#### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

Product code : GK2423

Product name : Phenol, BP grade 80% aqueous solution

: 108-95-2 CAS number **EINECS** : 203-632-7 Physical form : liquid, mixture

REACH : A registration number is not available for this substance as the substance or its uses

are exempted from registration, the annual tonnage does not require a registration or

the registration is envisaged for a later registration deadline.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

#### 1.3 Details of the supplier of the safety data sheet

Company name : Glentham Life Sciences Ltd Telephone +44 (0) 1225 667 798

> Unit 5 Leafield Way Fax +44 (0) 2033 978 909 Corsham SN13 9SW Email : info@glentham.com United Kingdom Web www.glentham.com

#### 1.4 **Emergency telephone number**

Emergency telephone: NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 - 17.00 GMT)

2.1

#### **Hazards identification** 2.

# Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H301 Acute Tox. 3 H311 Acute Tox. 3 H314 Skin Corr. 1B H331 Acute Tox. 3 H341 Muta. 2 H373 STOT RE 2 H411 Aquatic Chronic 2

#### 2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

# **Pictograms**









Signal words Danger

# **Hazard statements**

H301 Toxic if swallowed H311 Toxic in contact with skin

H314 Causes severe skin burns and eye damage

H331 Toxic if inhaled

H341 Suspected of causing genetic defects

May cause damage to organs through prolonged or repeated exposure H373

H411 Toxic to aquatic life with long lasting effects

# **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 IF SWALLOWED:

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

Page 1 of 8 Revision Date: 2023-04-05, Printed: 2024-06-07 20:14:30



# www.glentham.com

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do - continue rinsing.

IF exposed or concerned: Get medical advice/attention. P308+P313 P310 Immediately call a POISON CENTER or doctor/physician. P264

Do not breathe fume.

#### 2.3 Other hazards

PRT

This substance is not identified as a PBT substance.

#### 3.0 Composition/information on ingredients

#### 3.2 **Mixtures**

Name	ldentifier	%	Classification
Phenol	CAS: 108-95-2 EC: 203-632-7 REACH: Not applicable	80	H301, Acute Tox. 3 H311, Acute Tox. 3 H314, Skin Corr. 1B H331, Acute Tox. 3 H341, Muta. 2 H373. STOT RE 2

#### 4. First aid measures

#### 4.1 Description of first aid measures

Skin contact	Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water.
Eye contact	Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
Ingestion	Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water.
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so.
Most important s	wmntoms and affects, both acute and delayed

#### Most important symptoms and effects, both acute and delayed 4.2

Skin contact	Absorption through the skin may be fatal. Blistering may occur. Irritation or pain may occur at the site of contact. Progressive ulceration will occur if treatment is not immediate. There may be mild irritation at the site of contact. There may be redness or whiteness of the skin in the area of exposure.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness. There may be severe pain.
Ingestion	Blood may be vomited. Convulsions may occur. Corrosive burns may appear around the lips. There may be bleeding from the mouth or nose. There may be irritation of the throat. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.
Delayed / immediate effects	Convulsions may occur. Immediate effects can be expected after short-term exposure. There may be bleeding from the mouth or nose. There may be loss of consciousness.

#### 4.3 Indication of any immediate medical attention and special treatment needed

GK2423 v3.0



# **Safety Data Sheet**

www.glentham.com

#### Immediate / special treatment

Do not induce vomiting. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. Eye bathing equipment should be available on the premises.

# 5. Fire-fighting measures

## 5.1 Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

## 5.2 Special hazards arising from the substance or mixture

#### Exposure hazards

Corrosive. In combustion emits toxic fumes. Toxic.

### 5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

### 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. Evacuate the area immediately. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

### 6.2 Environmental precautions

Alert the neighbourhood to the presence of fumes or gas. Do not discharge into drains or rivers.

## 6.3 Methods and material for containment and cleaning up

### Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

# 6.4 Reference to other sections

Refer to section 8 of SDS.

# 7. Handling and storage

# 7.1 Precautions for safe handling

### Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is exhaust ventilation of the area. Ensure there is sufficient ventilation of the area.

# 7.2 Conditions for safe storage, including any incompatibilities

# Storage conditions

Avoid contact with water or humidity. Keep container tightly closed. Store in cool, well ventilated area.

### 7.3 Specific end use(s)

No data available.

### 8. Exposure controls/personal protection

# 8.1 Control parameters

Workplace exposure limits

Page 3 of 8 Revision Date: 2023-04-05, Printed: 2024-06-07 20:14:30



# www.glentham.com

Substance (CAS)	Control Parameter	Value	Notes	Source
Phenol (108-95-2)	Long-term Exposure Limit (ppm)	2	Sk	UK HSE EH40/2005
	Long-term Exposure Limit (mg m <sup>-3</sup> )	7.8		
	Short-term Exposure Limit (ppm)	4		
	Short-term Exposure Limit (mg m <sup>-3</sup> )	16		
	Long-term Exposure Limit (ppm)	8	skin	2009/161/EU
	Long-term Exposure Limit (mg m <sup>-3</sup> )	2		
	Short-term Exposure Limit (ppm)	16		
	Short-term Exposure Limit (mg m <sup>-3</sup> )	4		

### 8.2 Exposure controls

Engineering measures	Ensure there is exhaust ventilation of the area. Ensure there is sufficient ventilation of the area.
Respiratory protection	Particle filter class P1 (EN143). Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Safety glasses with side-shields. Tightly fitting safety goggles. Ensure eye bath is to hand. Safety glasses.
Skin protection	Protective clothing.

# 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Physical state
Colour
Colour
Codour
No data available.
Melting point/Freezing point
Liquid
Colourless
No data available.

Boiling point/initial boiling point/boiling range 181.75 °C @ Press: 760.0 Torr

Flammability

Lower/Upper explosion limit

Flash Point

Auto-ignition temperature

Decomposition temperature

pH

No data available.

Kinematic viscosity

No data available.

Solubility

Partition coefficient n-octanol/water

Vapour pressure

No data available.

No data available.

No data available.

Density/relative density

Relative vapour pressure

Particle characteristics

No data available.

No data available.

# 9.2 Other information

No data available.

# 10. Stability and reactivity

# 10.1 Reactivity

Stable under recommended transport or storage conditions.

## 10.2 Chemical stability

Stable under normal conditions.

# 10.3 Possibility of hazardous reactions

GK2423 v3.0



# **Safety Data Sheet**

www.glentham.com

#### Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

# 10.4 Conditions to avoid

Flames. Hot surfaces. Heat.

## 10.5 Incompatible materials

### Materials to avoid

Strong acids. Strong oxidising agents.

### 11. Toxicological information

### 11.1 Information on toxicological effects

## a) Acute toxicity

### Phenol

48 hr LC50 Waterflea (Daphnia magna) (Aquatic): 17 mg/L

LD50 Cat (Oral): 0.1 g/kg LD50 Dog (Oral): 0.5 g/kg LD50 Rat (Oral): 317 mg/kg LD50 Rat (Oral): 530 mg/kg

## b) Skin corrosion/irritation

Skin corrosion/irritation (Category 1B)

# c) Serious eye damage/irritation

No data available.

## d) Respiratory or skin sensitisation

No data available.

# e) Germ cell mutagenicity

Germ cell mutagenicity (Category 2)

# f) Carcinogenicity

No data available.

## g) Reproductive toxicity

No data available.

## h) STOT-single exposure

No data available.

### i) STOT-repeated exposure

Specific target organ toxicity, repeated exposure (Category 2)

# j) Aspiration hazard

No data available.

# Symptoms / routes of exposure

Skin contact	Absorption through the skin may be fatal. Blistering may occur. Irritation or pain may occur at the site of contact. Progressive ulceration will occur if treatment is not immediate. There may be mild irritation at the site of contact. There may be redness or whiteness of the skin in the area of exposure.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness. There may be severe pain.
Ingestion	Blood may be vomited. Convulsions may occur. Corrosive burns may appear around the lips. There may be bleeding from the mouth or nose. There may be irritation of the throat. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.

Page 5 of 8 Revision Date: 2023-04-05, Printed: 2024-06-07 20:14:30



# www.glentham.com

Delayed / immediate effects

Convulsions may occur. Immediate effects can be expected after short-term exposure. There may be bleeding from the mouth or nose. There may be loss of consciousness.

Other information

No data available.

# 11.2 Information on other hazards

## 11.2.1 Endocrine disrupting properties

This product does not contain known or suspected endocrine disruptors according to REACH or relevant EU Regulations.

# 11.2.2 Other information

No additional information

## 12. Ecological information

### 12.1 Toxicity

No data available.

### 12.2 Persistence and degradability

Not biodegradable.

# 12.3 Bioaccumulative potential

Bioaccumulation potential.

### 12.4 Mobility in soil

Readily absorbed into soil.

### 12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

## 12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

# 12.7 Other adverse effects

No data available.

### 13. Disposal considerations

# 13.1 Waste treatment methods

### Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# 14. Transport information

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
UN2821	UN2821	UN2821	UN2821	UN2821	
14.2. UN proper shipping name					
PHENOL SOLUTION	PHENOL SOLUTION	Phenol solution	PHENOL SOLUTION	PHENOL SOLUTION	
Transport document description					
UN2821 PHENOL SOLUTION, 6.1, II	UN2821 PHENOL SOLUTION, 6.1, II	UN2821 Phenol solution, 6.1, II	UN2821 PHENOL SOLUTION, 6.1, II	UN2821 PHENOL SOLUTION, 6.1, II	

Page 6 of 8 Revision Date: 2023-04-05, Printed: 2024-06-07 20:14:30



# www.glentham.com

14.3. Transport hazard class(es)					
6.1	6.1	6.1	6.1	6.1	
6	(A)	6	6	6	
14.4. Packing group	14.4. Packing group				
II	II	II	II	II	
14.5. Environmental hazards					
No	No	No	No	No	

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

### Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to

No data available.

authorisation:

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing No data available. on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer:

No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No

No data available.

2019/1021:

# 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# 16. Other information

### **H-Statement Full Texts**

H301 Toxic if swallowed
H311 Toxic in contact with skin
H314 Causes severe skin burns and eye damage
H331 Toxic if inhaled
H341 Suspected of causing genetic defects

H373 May cause damage to organs through prolonged or repeated exposure

## Abbreviations Full Texts

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ALARP As low as is reasonably practicable

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulations
COSHH Control of Substances Hazardous to Health

EC Number European Community Number EC50 Effective Concentration 50%

EILINCS European List of Notified Chemical Substances

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System
HSE Health & Safety Executive UK
IATA International Air Transport Association

IM Intramuscular

IMDG The International Maritime Dangerous Goods Code

IP Intraperitoneal
IV Intravascular





www.glentham.com

LD50 Lethal Dose 50%

LOEC Lowest Observable Effective Concentration

LTEL Long Term Exposure Limit

NOEC No Observable Effective Concentration

OECD Organisation for Economic Cooperations and Development

PBT Persistent Bioaccumulative Toxic
PPE Personal Protective Equipment

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SC Subcutaneous SDS Safety Data Sheet

STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
VOC Volatile Organic Compounds

vPvB Very Persistent and Very Bioaccumulative

WEL Workplace Exposure Limits

# This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glentham Life Sciences Limited. All rights reserved.

Page 8 of 8 Revision Date: 2023-04-05, Printed: 2024-06-07 20:14:30