

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : GK2951

Product name : Propylene glycol monomethyl ether acetate

CAS number : 108-65-6
EINECS : 203-603-9
Physical form : liquid, substance

REACH : A registration number is not available for this substance as the substance or its uses

are exempted from registration, the annual tonnage does not require a registration or

the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

Details of the supplier of the safety data sheet

Company name : Glentham Life Sciences Ltd Telephone : +44 (0) 1225 667 798

Unit 5 Leafield Way Fax : +44 (0) 2033 978 909
Corsham SN13 9SW Email : info@glentham.com
United Kingdom Web : www.glentham.com

1.4 Emergency telephone number

Emergency telephone: NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 - 17.00 GMT)

number

1.3

2. Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H226 Flam. Liq. 3

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms



Signal words Warning

Hazard statements

H226 Flammable liquid and vapour

Precautionary statements

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P403+P235 Store in a well-ventilated place. Keep cool. P241 Use explosion-proof electrical equipment.

2.3 Other hazards

PBT

This substance is not identified as a PBT substance.

3.0 Composition/information on ingredients

3.1 Substances

Page 1 of 7 Revision Date: 2023-04-05, Printed: 2024-06-07 17:10:11



www.glentham.com

Name	ldentifier	%	Classification
Propylene glycol monomethyl ether acetate	CAS: 108-65-6 EC: 203-603-9 REACH: Not applicable	99.0%	H226, Flam. Liq. 3

4. First aid measures

4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin.
Eye contact	Consult a doctor. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately.
Inhalation	Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact	There may be mild irritation at the site of contact.
Eye contact	There may be irritation and redness.
Ingestion	There may be irritation of the throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting.

5. Fire-fighting measures

5.1 Extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Water spray.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Eliminate all sources of ignition. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4 Reference to other sections

Refer to section 8 of SDS.

Page 2 of 7 Revision Date: 2023-04-05, Printed: 2024-06-07 17:10:11



www.glentham.com

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid the formation or spread of dust in the air. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Substance (CAS) Control Parameter		Value	Notes	Source
2-Methoxy-1-methylethyla cetate (108-65-6)	Long-term Exposure Limit (ppm)	275	Skin	2000/39/EC
	Long-term Exposure Limit (mg m ⁻³)	50		
	Short-term Exposure Limit (ppm)	550		
	Short-term Exposure Limit (mg m ⁻³)	100		
	Long-term Exposure Limit (ppm)	50	Sk	UK HSE EH40/2005
	Long-term Exposure Limit (mg m ⁻³)	274	_	
	Short-term Exposure Limit (ppm)	100		
	Short-term Exposure Limit (mg m ⁻³)	548		
1-Methoxypropyl acetate (108-65-6)	Long-term Exposure Limit (ppm)	275	Skin	2000/39/EC
	Long-term Exposure Limit (mg m ⁻³)	50		
	Short-term Exposure Limit (ppm)	550		
	Short-term Exposure Limit (mg m ⁻³)	100		
	Long-term Exposure Limit (ppm)	50	Sk	UK HSE EH40/2005
	Long-term Exposure Limit (mg m ⁻³)	274		
	Short-term Exposure Limit (ppm)	100		
	Short-term Exposure Limit (mg m ⁻³)	548	_	

8.2 Exposure controls

Engineering measures	Ensure lighting and electrical equipment are not a source of ignition. Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter.
Hand protection	Protective gloves.

Page 3 of 7 Revision Date: 2023-04-05, Printed: 2024-06-07 17:10:11



www.glentham.com

Eye protection	Ensure eye bath is to hand. Safety glasses.		
Skin protection	Protective clothing.		

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

Colour

Colourless

Odour

Melting point/Freezing point

Melting point/initial boiling point/boiling range

Flormmability

Liquid

Colourless

No data available.

-66 °C

Boiling point/initial boiling point/boiling range

Flammability

Lower/Upper explosion limit

Flammable

No data available.

No data available.

Auto-ignition temperature 333°C

Decomposition temperature No data available.
pH No data available.

No data available.
Solubility
Partition coefficient n-octanol/water
Vapour pressure
No data available.
No data available.
No data available.

Density/relative density

Relative vapour pressure

Particle characteristics

0.960

No data available.

No data available.

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable at room temperature. Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

10.4 Conditions to avoid

Flames. Hot surfaces. Sources of ignition. Heat.

10.5 Incompatible materials

Materials to avoid

Carbon dioxide. Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity

2-Methoxy-1-methylethylacetate

LD50 Rabbit (Dermal): >5 g/kg 4 hr LC50 Rat (Inhalation): >5320 ppm

4 hr LC50 Rat (Inhalation): >5320 ppi LD50 Mouse (IP): 750 mg/kg

LD50 Rat (Oral): 8532 mg/kg LD50 Rat (Oral): >10000 mg/kg

1-Methoxypropyl acetate

Page 4 of 7 Revision Date: 2023-04-05, Printed: 2024-06-07 17:10:11



www.glentham.com

LD50 Rabbit (Dermal): >5 g/kg

4 hr LC50 Rat (Inhalation): >5320 ppm

LD50 Mouse (IP): 750 mg/kg

LD50 Rat (Oral): 8532 mg/kg

LD50 Rat (Oral): >10000 mg/kg

b) Skin corrosion/irritation

No data available.

c) Serious eye damage/irritation

No data available.

d) Respiratory or skin sensitisation

No data available.

e) Germ cell mutagenicity

No data available.

f) Carcinogenicity

No data available.

g) Reproductive toxicity

No data available.

h) STOT-single exposure

No data available.

i) STOT-repeated exposure

No data available.

j) Aspiration hazard

No data available.

Symptoms / routes of exposure

Skin contact	There may be mild irritation at the site of contact.
Eye contact	There may be irritation and redness.
Ingestion	There may be irritation of the throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure.
Other information	No data available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

This product does not contain known or suspected endocrine disruptors according to REACH or relevant EU Regulations.

11.2.2 Other information

No additional information

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

Page 5 of 7 Revision Date: 2023-04-05, Printed: 2024-06-07 17:10:11



www.glentham.com

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
UN3271	UN3271	UN3271	UN3271	UN3271	
14.2. UN proper shipping nan	ne				
ETHERS, N.O.S.	ETHERS, N.O.S.	Ethers, n.o.s.	ETHERS, N.O.S.	ETHERS, N.O.S.	
Transport document descript	tion				
UN3271 ETHERS, N.O.S. (PROPYLENE GLYCOL MONOMETHYL ETHER ACETATE), 3, III	UN3271 ETHERS, N.O.S. (PROPYLENE GLYCOL MONOMETHYL ETHER ACETATE), 3, III	UN3271 Ethers, n.o.s. (Propylene glycol monomethyl ether acetate), 3, III	UN3271 ETHERS, N.O.S. (PROPYLENE GLYCOL MONOMETHYL ETHER ACETATE), 3, III	UN3271 ETHERS, N.O.S. (PROPYLENE GLYCOL MONOMETHYL ETHER ACETATE), 3, III	
14.3. Transport hazard class((es)				
3	3	3	3	3	
14.4. Packing group					
III	III	III	III	III	
14.5. Environmental hazards					
No	No	No	No	No	

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Authorisations/Restrictions



www.glentham.com

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to

No data available.

authorisation:

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing No data available.

on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer:

No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No

No data available.

2019/1021:

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts

H226 Flammable liquid and vapour

Abbreviations Full Texts

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ALARP As low as is reasonably practicable

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulations

COSHH Control of Substances Hazardous to Health

EC Number European Community Number EC50 Effective Concentration 50%

EILINCS European List of Notified Chemical Substances

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System
HSE Health & Safety Executive UK

IATA International Air Transport Association

IM Intramuscular

IMDG The International Maritime Dangerous Goods Code

IP Intraperitoneal IV Intravascular LD50 Lethal Dose 50%

LOEC Lowest Observable Effective Concentration

LTEL Long Term Exposure Limit

NOEC No Observable Effective Concentration

OECD Organisation for Economic Cooperations and Development

PBT Persistent Bioaccumulative Toxic
PPE Personal Protective Equipment

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SC Subcutaneous
SDS Safety Data Sheet
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
VOC Volatile Organic Compounds

vPvB Very Persistent and Very Bioaccumulative

WEL Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glentham Life Sciences Limited. All rights reserved.

Page 7 of 7 Revision Date: 2023-04-05, Printed: 2024-06-07 17:10:11