GK6589 v2.0



# Safety Data Sheet

www.glentham.com

## According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

#### Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

1.

Product code	: GK6589
Product name	: Sodium metasilicate, anhydrous
CAS number	: 6834-92-0
EINECS	: 229-912-9
Physical form	: solid, substance
REACH	: A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

#### 1.3 Details of the supplier of the safety data sheet

Company name	:	Glentham Life Sciences Ltd	Telephone	:	+44 (0) 1225 667 798
		Unit 5 Leafield Way	Fax	:	+44 (0) 2033 978 909
		Corsham SN13 9SW	Email	:	info@glentham.com
		United Kingdom	Web	:	www.glentham.com

#### 1.4 Emergency telephone number

Emergency telephone : NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 – 17.00 GMT) number

#### 2. Hazards identification

### 2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H290	Met. Corr. 1
H314	Skin Corr. 1B
H335	STOT SE 3
H336	STOT SE 3

#### 2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms



Signal words	Danger
Hazard statements	
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
Precautionary stateme	nts
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P264	Do not breathe fume.
P406	Store in corrosive resistant polyethylene container with a resistant inliner.
Other hazards	

#### PBT

This substance is not identified as a PBT substance.

2.3

# Safety Data Sheet

www.glentham.com

## 3.0 Composition/information on ingredients

## 3.1 Substances

**4**. 4.1

4.2

4.3

Name		Identifier	%	Classification	
Sodium metasilicat	e, anhydrous	CAS: 6834-92-0 EC: 229-912-9 REACH: Not applicable	EC: 229-912-9 REACH: Not	H290, Met. Corr. 1 H314, Skin Corr. 1B H335, STOT SE 3 H336, STOT SE 3	
irst aid measures					
escription of first a	id measures				
Skin contact	still on skin. Remove a	all contaminated clothes a	nd footwear ir	for 10 minutes or longer if substance is nmediately unless stuck to skin. ng. Wash immediately with plenty of	
Eye contact	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.				
Ingestion	unconscious and brea	thing is OK, place in the r	ecovery positi	to drink every 10 minutes. If on. If unconscious, check for breathing al as soon as possible. Wash out mouth	
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Remove casualty from exposure ensuring one's own safety whilst doing so. Transfer to hospital as soon as possible. Consult a doctor.				
lost important sym	otoms and effects, both a	cute and delayed			
Skin contact	Blistering may occur. irritation and redness	5	occur if treat	ment is not immediate. There may be	
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness.				
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from the mouth or nose. There may be soreness and redness of the mouth and throat.				
Inhalation	Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat.				
Delayed / immediate effects	Immediate effects car or nose.	be expected after short-te	erm exposure	. There may be bleeding from the mouth	

#### Immediate / special treatment

Do not induce vomiting. Eye bathing equipment should be available on the premises.

## 5. Fire-fighting measures

## 5.1 Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

## 5.2 Special hazards arising from the substance or mixture

Exposure hazards

Corrosive. In combustion emits toxic fumes.

### 5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

# Glentham

## GK6589 v2.0

# Safety Data Sheet

www.glentham.com

#### 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

#### 6.2 Environmental precautions

Do not discharge into drains or rivers.

#### 6.3 Methods and material for containment and cleaning up

#### Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4 Reference to other sections

Refer to section 8 of SDS.

#### 7. Handling and storage

#### 7.1 Precautions for safe handling

#### Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is sufficient ventilation of the area.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage conditions Avoid contact with water or humidity. Keep container tightly closed. Store in cool, well ventilated area.

## Specific end use(s)

7.3

8.1

No data available.

#### 8. Exposure controls/personal protection

#### Control parameters

Workplace exposure limits

No workplace exposure limit control parameters set

#### 8.2 Exposure controls

Engineering measures	Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Ensure eye bath is to hand. Tightly fitting safety goggles. Safety glasses.
Skin protection	Protective clothing.

## 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	Solid
Colour	White
Odour	No data available.
Melting point/Freezing point	1089 °C
Boiling point/initial boiling point/boiling range	No data available.
Flammability	No data available.
Lower/Upper explosion limit	No data available.

# **Safety Data Sheet**

## www.glentham.com

Flash Point	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
pH	No data available.
Kinematic viscosity	No data available.
Solubility	210 g/L @ 20 °C
Partition coefficient n-octanol/water	No data available.
Vapour pressure	No data available.
Density/relative density	2.614
Relative vapour pressure	No data available.
Particle characteristics	No data available.
OIL	

#### data available. data available. data available. data available. ) g/L @ 20 °C data available. data available. 14 data available. data available.

#### 9.2 Other information

No data available

#### 10. Stability and reactivity

#### 10.1 Reactivity

Stable under recommended transport or storage conditions.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

### Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

#### 10.4 Conditions to avoid

Heat.

#### 10.5 Incompatible materials

#### Materials to avoid

Strong acids. Strong oxidising agents.

#### **Toxicological information** 11.

#### 11.1 Information on toxicological effects

#### a) Acute toxicity

No data available.

#### b) Skin corrosion/irritation

Skin corrosion/irritation (Category 1B)

- C) Serious eye damage/irritation No data available.
- d) Respiratory or skin sensitisation No data available.
- Germ cell mutagenicity e) No data available.
- f) Carcinogenicity No data available.
- g) **Reproductive toxicity** No data available.

#### h) STOT-single exposure Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)

#### i) STOT-repeated exposure No data available.

j) Aspiration hazard No data available.

# Safety Data Sheet

www.glentham.com

#### 11.2 Symptoms / routes of exposure

Skin contact	Blistering may occur. Pro irritation and redness at t		l occur if treatment is not imr	nediate. There may be
Eye contact	Corneal burns may occu be irritation and redness.		nt damage. The eyes may w	ater profusely. There may
Ingestion			opear around the lips. There dness of the mouth and throa	
Inhalation	, ,	0 0 0	nere may be irritation of the the of breath with a burning sen	5
Delayed / immediate effects	Immediate effects can be or nose.	e expected after short-t	erm exposure. There may be	e bleeding from the mouth
Other information	No data available.			
Ecological informatio	n			
Toxicity				
No data available.				
Persistence and degra	adability			
Biodegradable.	-			
Bioaccumulative pote	ntial			
No bioaccumulation p				
Mobility in soil				
Readily absorbed into	soil.			
Results of PBT and vi				
	identified as a PBT substar	ice.		
Endocrine disrupting	properties			
	identified as having endocri	ine disrupting propertie	s	
Other adverse effects	-			
No data available.				
Disposal consideration	ns			
Waste treatment meth	iods			
Disposal operations				
	container and arrange for c	ollection by specialised	disposal company.	
NB	drown to the people and	topoo of regional or and	tional regulations regarding -	lianaaal
THE USELS ALLEHILION IS	drawn to the possible exist	tence of regional of ha	tional regulations regarding c	แอมบอลเ.
Transport information	I			
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
UN3253	UN3253	UN3253	UN3253	UN3253
14.2. UN proper shipping	name			
DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE	Disodium trioxosilicate	DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE

# Safety Data Sheet

www.glentham.com

Transport document descripti	on				
UN3253 DISODIUM TRIOXOSILICATE, 8, III	UN3253 DISODIUM TRIOXOSILICATE, 8, III	UN3253 Disodium trioxosilicate, 8, III	UN3253 DISODIUM TRIOXOSILICATE, 8, III	UN3253 DISODIUM TRIOXOSILICATE, 8, III	
14.3. Transport hazard class(e	es)				
8	8	8	8	8	
		8	*	•	
14.4. Packing group					
III	Ш	III	III	III	
14.5. Environmental hazards					
No	No	Νο	Νο	No	

#### 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation:	No data available.
Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances:	No data available.
Regulation (EC) 1005/2009 on substances that deplete the ozone layer:	No data available.
Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021:	No data available.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### 16. Other information

H-Statement Full Texts		
H290	May be corrosive to metals	
H314	Causes severe skin burns and eye damage	
H335	May cause respiratory irritation	
H336	May cause drowsiness or dizziness	

#### Abbreviations Full Texts

obreviations Full	Texts
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ALARP	As low as is reasonably practicable
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging Regulations
COSHH	Control of Substances Hazardous to Health
EC Number	European Community Number
EC50	Effective Concentration 50%
EILINCS	European List of Notified Chemical Substances
EINECS	European Inventory of Existing Commercial Chemical Substances
GHS	Globally Harmonised System
HSE	Health & Safety Executive UK
IATA	International Air Transport Association
IM	Intramuscular
IMDG	The International Maritime Dangerous Goods Code
IP	Intraperitoneal
IV	Intravascular

GK6589 v2.0



# Safety Data Sheet

www.glentham.com

LD50	Lethal Dose 50%
LOEC	Lowest Observable Effective Concentration
LTEL	Long Term Exposure Limit
NOEC	No Observable Effective Concentration
OECD	Organisation for Economic Cooperations and Development
PBT	Persistent Bioaccumulative Toxic
PPE	Personal Protective Equipment
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations Concerning the International Carriage of Dangerous Goods by Rail
SC	Subcutaneous
SDS	Safety Data Sheet
STEL	Short Term Exposure Limit
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL	Workplace Exposure Limits

# This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.