

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : GK8188

Product name : 3-Methyl-1-butanol

CAS number : 123-51-3
EINECS : 204-633-5
Physical form : liquid, substance

REACH : A registration number is not available for this substance as the substance or its uses

are exempted from registration, the annual tonnage does not require a registration or

the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company name : Glentham Life Sciences Ltd Telephone : +44 (0) 1225 667 798

Unit 5 Leafield Way Fax : +44 (0) 2033 978 909
Corsham SN13 9SW Email : info@glentham.com
United Kingdom Web : www.glentham.com

1.4 Emergency telephone number

Emergency telephone: NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 - 17.00 GMT)

number

2.1

2. Hazards identification

Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H226 Flam. Liq. 3 H332 Acute Tox. 4 H335 STOT SE 3 H336 STOT SE 3

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms





GHS02 G

Signal words Warning

Hazard statements

H226 Flammable liquid and vapour

H332 Harmful if inhaled

H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness

Precautionary statements

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P241 Use explosion-proof electrical equipment.

2.3 Other hazards

PBT

Page 1 of 7 Revision Date: 2023-04-05, Printed: 2023-05-04 19:06:23



www.glentham.com

This substance is not identified as a PBT substance.

3.0 Composition/information on ingredients

3.1 Substances

Name	Identifier	%	Classification
3-Methyl-1-butanol	CAS: 123-51-3 EC: 204-633-5 REACH: Not applicable	99.0%	H226, Flam. Liq. 3 H332, Acute Tox. 4 H335, STOT SE 3 H336, STOT SE 3

4. First aid measures

4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin.
Eye contact	Consult a doctor. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Wash out mouth with water.
Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact	There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	The eyes may water profusely. There may be irritation and redness. There may be pain and redness.
Ingestion	Nausea and stomach pain may occur. There may be irritation of the throat. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be vomiting.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting.

5. Fire-fighting measures

5.1 Extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Water spray.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Page 2 of 7 Revision Date: 2023-04-05, Printed: 2023-05-04 19:06:23



www.glentham.com

Eliminate all sources of ignition. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Substance (CAS)	Control Parameter	Value	Notes	Source
	Control i didilettel	value	110163	- Cource
3-Methylbutan-1-ol (123-51-3)	Long-term Exposure Limit (ppm)	100		UK HSE EH40/2005
	Long-term Exposure Limit (mg m ⁻³)	366		
	Short-term Exposure Limit (ppm)	125		
	Short-term Exposure Limit (mg m ⁻³)	458		
	Long-term Exposure Limit (ppm)	18		(EU) 2019/1831
	Long-term Exposure Limit (mg m ⁻³)	5		
	Short-term Exposure Limit (ppm)	37		
	Short-term Exposure Limit (mg m ⁻³)	10		

Page 3 of 7 Revision Date: 2023-04-05, Printed: 2023-05-04 19:06:23



www.glentham.com

Isoamyl alcohol (123-51-3)	Long-term Exposure Limit (ppm)	100	UK HSE EH40/2005
	Long-term Exposure Limit (mg m ⁻³)	366	
	Short-term Exposure Limit (ppm)	125	
	Short-term Exposure Limit (mg m ⁻³)	458	
	Long-term Exposure Limit (ppm)	18	(EU) 2019/1831
	Long-term Exposure Limit (mg m ⁻³)	5	
	Short-term Exposure Limit (ppm)	37	
	Short-term Exposure Limit (mg m ⁻³)	10	

8.2 Exposure controls

Engineering measures	Ensure lighting and electrical equipment are not a source of ignition. Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Ensure eye bath is to hand. Safety glasses.
Skin protection	Protective clothing.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state
Colour
Colour
Colour
No data available.
Melting point/Freezing point
Boiling point/initial boiling point/boiling range
Liquid
Colourless
No data available.
-117.2 °C
Boiling point/initial boiling point/boiling range

Flammability Flammable liquid and vapour

Lower/Upper explosion limit

Flash Point

Auto-ignition temperature

No data available.

No data available.

335°C

Decomposition temperature

No data available.

pH No data available.
Kinematic viscosity No data available.
Solubility 26.4 g/L @ 19.8 °C
Partition coefficient n-octanol/water No data available.

Partition coefficient n-octanol/water

Vapour pressure

Density/relative density

No data available.

No data available.

0.813

Relative vapour pressure

No data available.

Particle characteristics

No data available.

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable at room temperature. Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions



www.glentham.com

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

10.4 Conditions to avoid

Flames. Hot surfaces. Sources of ignition. Heat.

10.5 Incompatible materials

Materials to avoid

Carbon dioxide. Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity

3-Methylbutan-1-ol

No data available.

Isoamyl alcohol

No data available.

b) Skin corrosion/irritation

No data available.

c) Serious eye damage/irritation

No data available.

d) Respiratory or skin sensitisation

No data available.

e) Germ cell mutagenicity

No data available.

f) Carcinogenicity

No data available.

g) Reproductive toxicity

No data available.

h) STOT-single exposure

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)

i) STOT-repeated exposure

No data available.

j) Aspiration hazard

No data available.

11.2 Symptoms / routes of exposure

Skin contact	There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	The eyes may water profusely. There may be irritation and redness. There may be pain and redness.
Ingestion	Nausea and stomach pain may occur. There may be irritation of the throat. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be vomiting.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.
Other information	No data available.

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Page 5 of 7 Revision Date: 2023-04-05, Printed: 2023-05-04 19:06:23



www.glentham.com

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NR

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

ADR	IMDG	IATA	ADN	RID		
14.1. UN number						
UN1105	UN1105	UN1105	UN1105	UN1105		
14.2. UN proper shipping na	ame					
PENTANOLS	PENTANOLS	Pentanols	PENTANOLS	PENTANOLS		
Transport document descri	ption					
UN1105 PENTANOLS, 3, III	UN1105 PENTANOLS, 3, III	UN1105 Pentanols, 3, III	UN1105 PENTANOLS, 3, III	UN1105 PENTANOLS, 3, III		
14.3. Transport hazard class	s(es)					
3	3	3	3	3		
14.4. Packing group						
III	III	III	III	III		
14.5. Environmental hazards						
No	No	No	No	No		

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Authorisations/Restrictions

Page 6 of 7 Revision Date: 2023-04-05, Printed: 2023-05-04 19:06:23



www.glentham.com

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to

No data available.

authorisation:

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing No data available.

on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer:

No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No

No data available.

2019/1021:

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts

H226 Flammable liquid and vapour

H332 Harmful if inhaled

H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness

Abbreviations Full Texts

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ALARP As low as is reasonably practicable

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulations

COSHH Control of Substances Hazardous to Health

EC Number European Community Number EC50 Effective Concentration 50%

EILINCS European List of Notified Chemical Substances

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System
HSE Health & Safety Executive UK
IATA International Air Transport Association

IM Intramuscular

IMDG The International Maritime Dangerous Goods Code

IP Intraperitoneal IV Intravascular LD50 Lethal Dose 50%

LOEC Lowest Observable Effective Concentration

LTEL Long Term Exposure Limit

NOEC No Observable Effective Concentration

OECD Organisation for Economic Cooperations and Development

PBT Persistent Bioaccumulative Toxic
PPE Personal Protective Equipment

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SC Subcutaneous
SDS Safety Data Sheet
STEL Short Term Exposure Limit
VOC Volatile Organic Compounds

vPvB Very Persistent and Very Bioaccumulative

WEL Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Page 7 of 7 Revision Date: 2023-04-05, Printed: 2023-05-04 19:06:23