

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

## 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product code : GK8835

Product name : Methanesulfonic acid

CAS number : 75-75-2
EINECS : 200-898-6
Physical form : liquid, substance

REACH : A registration number is not available for this substance as the substance or its uses

are exempted from registration, the annual tonnage does not require a registration or

the registration is envisaged for a later registration deadline.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

#### 1.3 Details of the supplier of the safety data sheet

Company name : Glentham Life Sciences Ltd Telephone : +44 (0) 1225 667 798

Unit 5 Leafield Way Fax : +44 (0) 2033 978 909
Corsham SN13 9SW Email : info@glentham.com
United Kingdom Web : www.glentham.com

# 1.4 Emergency telephone number

Emergency telephone: NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 - 17.00 GMT)

number

#### 2. Hazards identification

# 2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

 H290
 Met. Corr. 1

 H302
 Acute Tox. 4

 H312
 Acute Tox. 4

 H314
 Skin Corr. 1B

#### 2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

**Pictograms** 



GHS05 GHS0

Signal words Danger

**Hazard statements** 

H290 May be corrosive to metals H302 Harmful if swallowed H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

**Precautionary statements** 

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 IF SWALLOWED: call a POISON CENTER/doctor/... IF you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P264 Do not breathe fume. P260 Do not breathe vapors.

P406 Store in corrosive resistant polyethylene container with a resistant inliner.

# 2.3 Other hazards

PBT

Page 1 of 7 Revision Date: 2023-04-05, Printed: 2023-04-28 17:38:29



www.glentham.com

This substance is not identified as a PBT substance.

# 3.0 Composition/information on ingredients

## 3.1 Substances

Name	Identifier	%	Classification
Methanesulfonic acid	CAS: 75-75-2 EC: 200-898-6 REACH: Not applicable	98.0%	H290, Met. Corr. 1 H302, Acute Tox. 4 H312, Acute Tox. 4 H314, Skin Corr. 1B

#### 4. First aid measures

# 4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning.
Eye contact	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water.
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Remove casualty from exposure ensuring one's own safety whilst doing so. Transfer to hospital as soon as possible. Consult a doctor.

# 4.2 Most important symptoms and effects, both acute and delayed

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be pain and redness.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.
Delayed / immediate effects	Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose.

# 4.3 Indication of any immediate medical attention and special treatment needed

## Immediate / special treatment

Do not induce vomiting. Eye bathing equipment should be available on the premises.

# 5. Fire-fighting measures

# 5.1 Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

# 5.2 Special hazards arising from the substance or mixture

## Exposure hazards

Corrosive. In combustion emits toxic fumes.

Page 2 of 7 Revision Date: 2023-04-05, Printed: 2023-04-28 17:38:29



www.glentham.com

#### 5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

#### 6.

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

#### 6.2 **Environmental precautions**

Do not discharge into drains or rivers.

#### 6.3 Methods and material for containment and cleaning up

#### Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4 Reference to other sections

Refer to section 8 of SDS.

#### 7. Handling and storage

#### 7.1 Precautions for safe handling

#### Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is sufficient ventilation of the area.

#### 7.2 Conditions for safe storage, including any incompatibilities

Avoid contact with water or humidity. Keep container tightly closed. Store in cool, well ventilated area.

#### 7.3 Specific end use(s)

No data available.

#### **Exposure controls/personal protection** 8.

## Control parameters

#### Workplace exposure limits

No workplace exposure limit control parameters set

#### 8.2 **Exposure controls**

Engineering measures	Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Ensure eye bath is to hand. Tightly fitting safety goggles. Safety glasses.
Skin protection	Protective clothing.

#### 9. Physical and chemical properties

# Information on basic physical and chemical properties

Physical state Liquid Colour Colourless Odour No data available. Melting point/Freezing point

Boiling point/initial boiling point/boiling range

167 °C @ Press: 10 Torr Flammability No data available. Lower/Upper explosion limit No data available.

Page 3 of 7 Revision Date: 2023-04-05, Printed: 2023-04-28 17:38:29

GK8835 v2.0



# **Safety Data Sheet**

www.glentham.com

Flash Point

Auto-ignition temperature
Decomposition temperature

Hq

Kinematic viscosity

Solubility

Partition coefficient n-octanol/water

Vapour pressure Density/relative density Relative vapour pressure Particle characteristics No data available. Fully soluble No data available. No data available.

No data available. No data available.

## 9.2 Other information

No data available.

#### 10. Stability and reactivity

# 10.1 Reactivity

Stable under recommended transport or storage conditions.

## 10.2 Chemical stability

Stable under normal conditions.

# 10.3 Possibility of hazardous reactions

#### Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

#### 10.4 Conditions to avoid

Heat.

# 10.5 Incompatible materials

#### Materials to avoid

Strong acids. Strong oxidising agents.

## 11. Toxicological information

## 11.1 Information on toxicological effects

## a) Acute toxicity

No data available.

#### b) Skin corrosion/irritation

Skin corrosion/irritation (Category 1B)

# c) Serious eye damage/irritation

No data available.

## d) Respiratory or skin sensitisation

No data available.

# e) Germ cell mutagenicity

No data available.

## f) Carcinogenicity

No data available.

# g) Reproductive toxicity

No data available.

## h) STOT-single exposure

No data available.

## i) STOT-repeated exposure

No data available.

#### j) Aspiration hazard

No data available.

Page 4 of 7

Revision Date: 2023-04-05, Printed: 2023-04-28 17:38:29



# www.glentham.com

## 11.2 Symptoms / routes of exposure

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be pain and redness.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.
Delayed / immediate effects	Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose.
Other information	No data available.

# 12. Ecological information

## 12.1 Toxicity

96 hr EC50 Algae (Selenastrum capricornutum): 7.2 mg/L

## 12.2 Persistence and degradability

Biodegradable.

#### 12.3 Bioaccumulative potential

No bioaccumulation potential.

# 12.4 Mobility in soil

Readily absorbed into soil.

## 12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

# 12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

#### 12.7 Other adverse effects

No data available.

## 13. Disposal considerations

## 13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NE

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# 14. Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN3265	UN3265	UN3265	UN3265	UN3265
14.2. UN proper shipping name				
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	Corrosive liquid, acidic, organic, n.o.s.	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Page 5 of 7 Revision Date: 2023-04-05, Printed: 2023-04-28 17:38:29



# www.glentham.com

Transport document	descri	ption
--------------------	--------	-------

UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (M **ETHANESULFONIC** ACID), 8, II

UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (M **ETHANESULFONIC** ACID), 8, II

**UN3265** Corrosive liquid, acidic, organic, n.o.s.

(Methanesulfonic acid), 8, II

UN3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (M **ETHANESULFONIC** ACID), 8, II

UN3265 **CORROSIVE** LIQUID, ACIDIC, ORGANIC, N.O.S. (M **ETHANESULFONIC** ACID), 8, II

#### 14.3. Transport hazard class(es)

8











#### 14.4. Packing group

Ш

Ш

No

Ш

No

# 14.5. Environmental hazards

No

#### 15. **Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

## Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to

No data available.

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing No data available. on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer:

No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021:

No data available.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### 16. Other information

## **H-Statement Full Texts**

H290 May be corrosive to metals H302 Harmful if swallowed H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

## **Abbreviations Full Texts**

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADN

**ADR** European Agreement concerning the International Carriage of Dangerous Goods by Road

ALARP As low as is reasonably practicable CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulations COSHH Control of Substances Hazardous to Health

**EC Number European Community Number** 





www.glentham.com

EC50 Effective Concentration 50%

EILINCS European List of Notified Chemical Substances

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System
HSE Health & Safety Executive UK

IATA International Air Transport Association

IM Intramuscular

IMDG The International Maritime Dangerous Goods Code

IP Intraperitoneal IV Intravascular LD50 Lethal Dose 50%

LOEC Lowest Observable Effective Concentration

LTEL Long Term Exposure Limit

NOEC No Observable Effective Concentration

OECD Organisation for Economic Cooperations and Development

PBT Persistent Bioaccumulative Toxic
PPE Personal Protective Equipment

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SC Subcutaneous
SDS Safety Data Sheet
STEL Short Term Exposure Limit
VOC Volatile Organic Compounds

vPvB Very Persistent and Very Bioaccumulative

WEL Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Page 7 of 7 Revision Date: 2023-04-05, Printed: 2023-04-28 17:38:29