

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product code : GL9542  
Product name : o-Xylene  
CAS number : 95-47-6  
EINECS : 202-422-2  
Physical form : liquid, substance  
REACH : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

### 1.3 Details of the supplier of the safety data sheet

Company name	: Glenthams Life Sciences Ltd	Telephone	: +44 (0) 1225 667 798
	Unit 5 Leafield Way	Fax	: +44 (0) 2033 978 909
	Corsham SN13 9SW	Email	: <a href="mailto:info@glenthams.com">info@glenthams.com</a>
	United Kingdom	Web	: <a href="http://www.glenthams.com">www.glenthams.com</a>

### 1.4 Emergency telephone number

Emergency telephone : NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 – 17.00 GMT) number

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H304	Asp. Tox. 1
H312	Acute Tox. 4
H314	Skin Corr. 1C
H319	Eye Irr. 2A
H332	Acute Tox. 4
H335	STOT SE 3
H336	STOT SE 3

### 2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

#### Pictograms



#### Signal words

Danger

#### Hazard statements

H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

#### Precautionary statements

P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P264 Do not breathe fume.  
P261 Avoid breathing vapors.

### 2.3 Other hazards

PBT

This substance is not identified as a PBT substance.

## 3.0 Composition/information on ingredients

### 3.1 Substances

Name	Identifier	%	Classification
o-Xylene	CAS: 95-47-6 EC: 202-422-2 REACH: Not applicable	98.0%	H304, Asp. Tox. 1 H312, Acute Tox. 4 H314, Skin Corr. 1C H319, Eye Irr. 2A H332, Acute Tox. 4 H335, STOT SE 3 H336, STOT SE 3

## 4. First aid measures

### 4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water.
Eye contact	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water.
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2 Most important symptoms and effects, both acute and delayed

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness. There may be pain and redness.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose. There may be irritation of the throat. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose.

### 4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting. Eye bathing equipment should be available on the premises.

## 5. Fire-fighting measures

### 5.1 Extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Water spray.

### 5.2 Special hazards arising from the substance or mixture

#### Exposure hazards

Corrosive. Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture.

### 5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

## 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. Eliminate all sources of ignition. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

### 6.2 Environmental precautions

Do not discharge into drains or rivers.

### 6.3 Methods and material for containment and cleaning up

#### Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

### 6.4 Reference to other sections

Refer to section 8 of SDS.

## 7. Handling and storage

### 7.1 Precautions for safe handling

#### Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Avoid contact with water or humidity. Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. Store in cool, well ventilated area.

### 7.3 Specific end use(s)

No data available.

## 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Workplace exposure limits

Substance (CAS)	Control Parameter	Value	Notes	Source
o-Xylene (95-47-6)	Long-term Exposure Limit (ppm)	221	Skin	2000/39/EC
	Long-term Exposure Limit (mg m <sup>-3</sup> )	50		
	Short-term Exposure Limit (ppm)	442		
	Short-term Exposure Limit (mg m <sup>-3</sup> )	100		

## 8.2 Exposure controls

Engineering measures	Ensure lighting and electrical equipment are not a source of ignition. Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Tightly fitting safety goggles. Ensure eye bath is to hand. Safety glasses.
Skin protection	Protective clothing.

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	Colourless
Odour	No data available.
Melting point/Freezing point	-25 °C
Boiling point/initial boiling point/boiling range	144.4 °C @ Press: 760 Torr
Flammability	Extremely flammable
Lower/Upper explosion limit	No data available.
Flash Point	No data available.
Auto-ignition temperature	463 - 528°C
Decomposition temperature	No data available.
pH	No data available.
Kinematic viscosity	No data available.
Solubility	157.5 mg/L @ 25 °C
Partition coefficient n-octanol/water	No data available.
Vapour pressure	No data available.
Density/relative density	0.880
Relative vapour pressure	No data available.
Particle characteristics	No data available.

### 9.2 Other information

No data available.

## 10. Stability and reactivity

### 10.1 Reactivity

Stable under recommended transport or storage conditions.

### 10.2 Chemical stability

Stable at room temperature. Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

#### Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

### 10.4 Conditions to avoid

Flames. Hot surfaces. Sources of ignition. Heat.

### 10.5 Incompatible materials

### Materials to avoid

Carbon dioxide. Strong acids. Strong oxidising agents.

## 11. Toxicological information

### 11.1 Information on toxicological effects

#### a) Acute toxicity

##### o-Xylene

96 hr LC50 Shrimp (Crangon franciscorum) (Aquatic): 1.3 ppm

6 hr LC50 Mouse (Inhalation): 4600 ppm

4 hr LC50 Rat (Inhalation): 6700 ppm

4 hr LC50 Rat (Inhalation): 6350 ppm

LD50 Rat (Oral): 3608 mg/kg

#### b) Skin corrosion/irritation

Skin corrosion/irritation (Category 1C)

#### c) Serious eye damage/irritation

Serious eye damage/eye irritation (Category 2A)

#### d) Respiratory or skin sensitisation

No data available.

#### e) Germ cell mutagenicity

No data available.

#### f) Carcinogenicity

No data available.

#### g) Reproductive toxicity

No data available.

#### h) STOT-single exposure

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)

#### i) STOT-repeated exposure

No data available.

#### j) Aspiration hazard

Aspiration hazard (Category 1)

### Symptoms / routes of exposure

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness. There may be pain and redness.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose. There may be irritation of the throat. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose.
Other information	No data available.

### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

This product does not contain known or suspected endocrine disruptors according to REACH or relevant EU Regulations.

#### 11.2.2 Other information

No additional information

## 12. Ecological information

### 12.1 Toxicity

24 hr EC50 Algae (Chlorella vulgaris): 55000 ug/L

72 hr EC50 Algae (Pseudokirchneriella subcapitata): 4700 ug/L

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

Readily absorbed into soil.

### 12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

### 12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

### 12.7 Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1 Waste treatment methods






Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## 14. Transport information

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN1307	UN1307	UN1307	UN1307	UN1307
<b>14.2. UN proper shipping name</b>				
XYLENES	XYLENES	Xylenes	XYLENES	XYLENES
<b>Transport document description</b>				
UN1307 XYLENES (O-XYLENE), 3, III	UN1307 XYLENES (O-XYLENE), 3, III	UN1307 Xylenes (o-Xylene), 3, III	UN1307 XYLENES (O-XYLENE), 3, III	UN1307 XYLENES (O-XYLENE), 3, III
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3
				
<b>14.4. Packing group</b>				
III	III	III	III	III
<b>14.5. Environmental hazards</b>				
No	No	No	No	No

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

#### Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation:	No data available.
Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances:	No data available.
Regulation (EC) 1005/2009 on substances that deplete the ozone layer:	No data available.
Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021:	No data available.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## 16. Other information

### H-Statement Full Texts

H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

### Abbreviations Full Texts

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ALARP	As low as is reasonably practicable
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging Regulations
COSHH	Control of Substances Hazardous to Health
EC Number	European Community Number
EC50	Effective Concentration 50%
EILINCS	European List of Notified Chemical Substances
EINECS	European Inventory of Existing Commercial Chemical Substances
GHS	Globally Harmonised System
HSE	Health & Safety Executive UK
IATA	International Air Transport Association
IM	Intramuscular
IMDG	The International Maritime Dangerous Goods Code
IP	Intraperitoneal
IV	Intravascular
LD50	Lethal Dose 50%
LOEC	Lowest Observable Effective Concentration
LTEL	Long Term Exposure Limit
NOEC	No Observable Effective Concentration
OECD	Organisation for Economic Cooperations and Development
PBT	Persistent Bioaccumulative Toxic
PPE	Personal Protective Equipment
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations Concerning the International Carriage of Dangerous Goods by Rail
SC	Subcutaneous
SDS	Safety Data Sheet
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL	Workplace Exposure Limits

**This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006,  
amended by Commission Regulation (EU) 2020/878.**

Disclaimer: Glenthams Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glenthams Life Sciences Limited. All rights reserved.