

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : GS0199

Product name : Dichloromethane, GlenUltra™, analytical grade, stabilised with amylene, for LC

CAS number : 75-09-2
EINECS : 200-838-9
Physical form : liquid, substance

REACH : A registration number is not available for this substance as the substance or its uses

are exempted from registration, the annual tonnage does not require a registration or

the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company name : Glentham Life Sciences Ltd Telephone : +44 (0) 1225 667 798

Unit 5 Leafield Way Fax : +44 (0) 2033 978 909
Corsham SN13 9SW Email : info@glentham.com
United Kingdom Web : www.glentham.com

1.4 Emergency telephone number

Emergency telephone: NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 - 17.00 GMT)

number

2.1

2. Hazards identification

Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

 H315
 Skin Irr. 2

 H319
 Eye Irr. 2A

 H335
 STOT SE 3

 H336
 STOT SE 3

 H351
 Carc. 2

 H373
 STOT RE 2

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms





Signal words Warning

Hazard statements

H315 Causes skin irritation
H319 Causes serious eye irritation
H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness
H351 Suspected of causing cancer

H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P281 Use personal protective equipment as required.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do - continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P264 Do not breathe fume.

Page 1 of 8

Revision Date: 2023-04-05, Printed: 2023-04-29 17:04:54



www.glentham.com

2.3 Other hazards

PRT

This substance is not identified as a PBT substance.

3.0 Composition/information on ingredients

3.1 Substances

Name	ldentifier	%	Classification
Dichloromethane, GlenUltra™, analytical grade, stabilised with amylene, for LC	CAS: 75-09-2 EC: 200-838-9 REACH: Not applicable	99.9%	H315, Skin Irr. 2 H319, Eye Irr. 2A H335, STOT SE 3 H336, STOT SE 3
			H351, Carc. 2

4. First aid measures

4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye contact	Consult a doctor. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Wash out mouth with water.
Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact	There may be irritation and redness at the site of contact.
Eye contact	The eyes may water profusely. There may be irritation and redness.
Ingestion	Nausea and stomach pain may occur. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be vomiting.
Delayed / immediate effects	Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting. Eye bathing equipment should be available on the premises.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

In combustion emits toxic fumes.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Page 2 of 8 Revision Date: 2023-04-05, Printed: 2023-04-29 17:04:54



www.glentham.com

Personal precautions

Do not create dust. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Refer to section 8 of SDS for personal protection details

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Keep container tightly closed. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Substance (CAS)	Control Parameter	Value	Notes	Source
Methylene chloride; Dichloromethane (75-09-2)	Long-term Exposure Limit (ppm)	353	skin	(EU) 2017/164
	Long-term Exposure Limit (mg m ⁻³)	100		
	Short-term Exposure Limit (ppm)	706	•	
	Short-term Exposure Limit (mg m ⁻³)	200		
	Long-term Exposure Limit (ppm)	100	BMGV, Sk	UK HSE EH40/2005
	Long-term Exposure Limit (mg m ⁻³)	353		
	Short-term Exposure Limit (ppm)	200	•	
	Short-term Exposure Limit (mg m ⁻³)	706		

Page 3 of 8 Revision Date: 2023-04-05, Printed: 2023-04-29 17:04:54



www.glentham.com

Dichloromethane (75-09-2)	Long-term Exposure Limit (ppm)	353	skin	(EU) 2017/164
	Long-term Exposure Limit (mg m ⁻³)	100		
	Short-term Exposure Limit (ppm)	706		
	Short-term Exposure Limit (mg m ⁻³)	200		
	Long-term Exposure Limit (ppm)	100	BMGV, Sk	UK HSE EH40/2005
	Long-term Exposure Limit (mg m ⁻³)	353		
,	Short-term Exposure Limit (ppm)	200		
,	Short-term Exposure Limit (mg m ⁻³)	706		

8.2 Exposure controls

Engineering measures	Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Ensure eye bath is to hand. Safety glasses.
Skin protection	Protective clothing.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

Colour

Colour

Odour

Melting point/Freezing point

Liquid

Colourless

No data available.

-95 °C

Boiling point/initial boiling point/boiling range 39.75 °C @ Press: 760 Torr

Flammability

Lower/Upper explosion limit

Flash Point

Auto-ignition temperature

No data available.

No data available.

No data available.

605°C

Decomposition temperature

No data available.

pH No data available.
Kinematic viscosity No data available.
Solubility 13.2 g/L @ 25 °C
Partition coefficient n-octanol/water No data available.
Vapour pressure No data available.

Density/relative density
Relative vapour pressure
Particle characteristics
No data available.
No data available.

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

Page 4 of 8 Revision Date: 2023-04-05, Printed: 2023-04-29 17:04:54



www.glentham.com

10.4 Conditions to avoid

Heat

10.5 Incompatible materials

Materials to avoid

Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity

Methylene chloride; Dichloromethane

15 min LC50 Rat (Inhalation): 2000000 mg/m3 1 hr LC50 Mouse (Inhalation): 16000 ppm 6 hr LC50 Guinea pig (Inhalation): 11600 ppm

LD50 Rat (Oral): 1600 mg/kg

Dichloromethane

15 min LC50 Rat (Inhalation): 2000000 mg/m3 1 hr LC50 Mouse (Inhalation): 16000 ppm 6 hr LC50 Guinea pig (Inhalation): 11600 ppm LD50 Rat (Oral): 1600 mg/kg

b) Skin corrosion/irritation

Skin corrosion/irritation (Category 2)

c) Serious eye damage/irritation

Serious eye damage/eye irritation (Category 2A)

d) Respiratory or skin sensitisation

No data available.

e) Germ cell mutagenicity

No data available.

f) Carcinogenicity

Dichloromethane: Carcinogenic (suspected) (ECHA Property of Concern)

g) Reproductive toxicity

No data available.

h) STOT-single exposure

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)

i) STOT-repeated exposure

Specific target organ toxicity, repeated exposure (Category 2)

j) Aspiration hazard

No data available.

11.2 Symptoms / routes of exposure

Skin contact	There may be irritation and redness at the site of contact.
Eye contact	The eyes may water profusely. There may be irritation and redness.
Ingestion	Nausea and stomach pain may occur. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be vomiting.
Delayed / immediate effects	Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.
Other information	No data available.

12. Ecological information



www.glentham.com

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NΒ

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN1593	UN1593	UN1593	UN1593 UN1593	
14.2. UN proper shipping nar	me			
DICHLOROMETHAN E	DICHLOROMETHAN E	Dichloromethane	DICHLOROMETHAN DICHLOROMETH E E	
Transport document descrip	tion			
UN1593 DICHLORO METHANE, 6.1, III	UN1593 DICHLORO METHANE, 6.1, III	UN1593 Dichloromethane, 6.1, III	UN1593 DICHLORO METHANE, 6.1, III	UN1593 DICHLORO METHANE, 6.1, III
14.3. Transport hazard class((es)			
6.1	6.1	6.1	6.1	6.1
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
No	No	No	No	No



www.glentham.com

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to

No data available.

authorisation:

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing 13 Jan 2016, Entry No.: 59

on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer:

No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No

No data available.

2019/1021:

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts

H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure

Abbreviations Full Texts

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ALARP As low as is reasonably practicable

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulations
COSHH Control of Substances Hazardous to Health

EC Number European Community Number EC50 Effective Concentration 50%

EILINCS European List of Notified Chemical Substances

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System
HSE Health & Safety Executive UK
IATA International Air Transport Association

IM Intramuscular

IMDG The International Maritime Dangerous Goods Code

IP Intraperitoneal IV Intravascular LD50 Lethal Dose 50%

LOEC Lowest Observable Effective Concentration

LTEL Long Term Exposure Limit

NOEC No Observable Effective Concentration

OECD Organisation for Economic Cooperations and Development

PBT Persistent Bioaccumulative Toxic
PPE Personal Protective Equipment

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SC Subcutaneous
SDS Safety Data Sheet
STEL Short Term Exposure Limit
VOC Volatile Organic Compounds

vPvB Very Persistent and Very Bioaccumulative

WEL Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Page 7 of 8 Revision Date: 2023-04-05, Printed: 2023-04-29 17:04:54





www.glentham.com

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Page 8 of 8 Revision Date: 2023-04-05, Printed: 2023-04-29 17:04:54