GS2410 v3.0



## Safety Data Sheet

www.glentham.com

#### According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

#### Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

1.

| Product code  | : | GS2410  |
|---------------|---|---|
| Product name  | : | Acetone, GlenDry™, anhydrous  |
| CAS number    | : | 67-64-1   |
| EINECS        | : | 200-662-2   |
| Physical form | : | liquid, substance   |
| REACH         | : | A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. |

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

#### 1.3 Details of the supplier of the safety data sheet

| : | Glentham Life Sciences Ltd | Telephone        | :   | +44 (0) 1225 667 798                                  |
|---|----------------------------|------------------|---|---|
|   | Unit 5 Leafield Way        | Fax              | :   | +44 (0) 2033 978 909                                  |
|   | Corsham SN13 9SW           | Email            | :   | info@glentham.com                                     |
|   | United Kingdom             | Web              | :   | www.glentham.com                                      |
|   | :                          | Corsham SN13 9SW | Unit 5 Leafield Way Fax<br>Corsham SN13 9SW Email | Unit 5 Leafield Way Fax :<br>Corsham SN13 9SW Email : |

#### 1.4 Emergency telephone number

Emergency telephone : NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 – 17.00 GMT) number

#### 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

| H225 | Flam. Liq. 2 |
|------|--------------|
| H319 | Eye Irr. 2A  |
| H335 | STOT SE 3    |
| H336 | STOT SE 3    |

#### 2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms



| Signal words             | Danger   |
|--------------------------|--|
| Hazard statements        |  |
| H225                     | Highly flammable liquid and vapour   |
| H319                     | Causes serious eye irritation  |
| H335                     | May cause respiratory irritation   |
| H336                     | May cause drowsiness or dizziness  |
| EUH066                   | Repeated exposure may cause skin dryness or cracking.  |
| Precautionary statements |  |
| P210                     | Keep away from heat, hot surface, sparks, open flames and other ignition sources No smoking.                                     |
| P261                     | Avoid breathing dust/fume/gas/mist/vapors/spray.   |
| P305+P351+P338           | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. |
| P241                     | Use explosion-proof electrical equipment.  |
| Other hazards            |  |

PBT

This substance is not identified as a PBT substance.

2.3

# **Glentham** LIFE SCIENCES

## Safety Data Sheet

www.glentham.com

| Substances                     |  |  |                 |   |  |  |  |
|--------------------------------|--|--|-----------------|---|--|--|--|
| Name                           |  | Identifier   | %               | Classification  |  |  |  |
| Acetone, GlenDry™              | <sup>м</sup> , anhydrous   | CAS: 67-64-1<br>EC: 200-662-2<br>REACH: Not<br>applicable  | 99.9%           | H225, Flam. Liq. 2<br>H319, Eye Irr. 2A<br>H335, STOT SE 3<br>H336, STOT SE 3 |  |  |  |
| First aid measures             |  |  |                 |   |  |  |  |
| Description of first a         | id measures  |  |                 |   |  |  |  |
| Skin contact                   | ntact Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. |  |                 |   |  |  |  |
| Eye contact                    | Consult a doctor. Bathe the eye with running water for 15 minutes.   |  |                 |   |  |  |  |
| Ingestion                      | Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Wash out mouth with water.  |  |                 |   |  |  |  |
| Inhalation                     | Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so.   |  |                 |   |  |  |  |
| Most important sym             | otoms and effects, both  | acute and delayed  |                 |   |  |  |  |
| Skin contact                   | There may be irritation contact.   | on and redness at the site   | of contact. The | ere may be mild irritation at the site of                                     |  |  |  |
| Eye contact                    | The eyes may water   | The eyes may water profusely. There may be irritation and redness.   |                 |   |  |  |  |
| Ingestion                      | There may be irritation  | There may be irritation of the throat. There may be soreness and redness of the mouth and throat.                        |                 |   |  |  |  |
| Inhalation                     |  | Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. |                 |   |  |  |  |
| Delayed / immediate<br>effects | Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure.   |  |                 |   |  |  |  |

#### Immediate / special treatment

Do not induce vomiting. Eye bathing equipment should be available on the premises.

#### 5. **Fire-fighting measures**

#### 5.1 **Extinguishing media**

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Water spray.

#### 5.2 Special hazards arising from the substance or mixture

#### Exposure hazards

Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture.

#### 5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

#### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Do not create dust. Eliminate all sources of ignition. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

#### 6.2 **Environmental precautions**

# Glentham

# Safety Data Sheet

www.glentham.com

Do not discharge into drains or rivers.

#### 6.3 Methods and material for containment and cleaning up

#### Clean-up procedures

Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

#### 6.4 Reference to other sections

Refer to section 8 of SDS.

#### 7. Handling and storage

#### 7.1 Precautions for safe handling

#### Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Avoid contact with water or humidity. Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. Store in cool, well ventilated area.

#### 7.3 Specific end use(s)

No data available.

#### 8. Exposure controls/personal protection

#### 8.1 Control parameters

#### Workplace exposure limits

| Substance (CAS)   | Control Parameter                               | Value            | Notes | Source     |
|-------------------|---|------------------|-------|------------|
| Acetone (67-64-1) | Long-term Exposure Limit (ppm) 500 UK HSE EH    | UK HSE EH40/2005 |       |            |
|                   | Long-term Exposure Limit (mg m <sup>-3</sup> )  | 1210             |       |            |
|                   | Short-term Exposure Limit (ppm)                 | 1500             |       |            |
|                   | Short-term Exposure Limit (mg m <sup>-3</sup> ) | 3620             |       |            |
|                   | Long-term Exposure Limit (ppm)                  | 1210             |       | 2000/39/EC |
|                   | Long-term Exposure Limit (mg m <sup>-3</sup> )  | 500              |       |            |

#### 8.2 Exposure controls

| Engineering measures   | Ensure lighting and electrical equipment are not a source of ignition. Ensure there is sufficient ventilation of the area.      |
|------------------------|---|
| Respiratory protection | Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency. |
| Hand protection        | Protective gloves.  |
| Eye protection         | Ensure eye bath is to hand. Safety glasses.   |
| Skin protection        | Protective clothing.  |

#### 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

| Physical state | Liquid             |
|----------------|--------------------|
| Colour         | Colourless         |
| Odour          | No data available. |

# Glentham

# Safety Data Sheet

## www.glentham.com

| Melting point/Freezing point<br>Boiling point/initial boiling point/boiling range<br>Flammability |
|---|
| Lower/Upper explosion limit   |
| Flash Point   |
| Auto-ignition temperature   |
| Decomposition temperature   |
| рН  |
| Kinematic viscosity   |
| Solubility  |
| Partition coefficient n-octanol/water   |
| Vapour pressure   |
| Density/relative density  |
| Relative vapour pressure  |
| Particle characteristics  |

-94.8 °C 56.0 °C @ Press: 760 Torr Highly flammable No data available. No data available. 465°C No data available. 0.790 No data available. No data available.

#### 9.2 Other information

No data available.

#### 10. Stability and reactivity

#### 10.1 Reactivity

Stable under recommended transport or storage conditions.

#### <sup>10.2</sup> Chemical stability

Stable at room temperature. Stable under normal conditions.

#### <sup>10.3</sup> Possibility of hazardous reactions

#### Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

#### <sup>10.4</sup> Conditions to avoid

Flames. Hot surfaces. Sources of ignition. Heat.

#### <sup>10.5</sup> Incompatible materials

Materials to avoid

Carbon dioxide. Strong acids. Strong oxidising agents.

#### 11. Toxicological information

### 11.1 Information on toxicological effects

#### a) Acute toxicity

#### Acetone

8 hr LC50 Rat (Inhalation): 50100 mg/m3 LD50 Rat (Oral): 5800 mg/kg LD50 Rat (Oral): 9800 mg/kg LD50 Mouse (Oral): 3000 mg/kg LD50 Mouse (Oral): 2400 mg/kg LD50 Rat (Oral): 8450 mg/kg

#### b) Skin corrosion/irritation No data available.

c) Serious eye damage/irritation Serious eye damage/eye irritation (Category 2A)

- d) Respiratory or skin sensitisation
  No data available.
- e) Germ cell mutagenicity No data available.
- f) Carcinogenicity No data available.

GS2410 v3.0



# Safety Data Sheet

www.glentham.com

| g) | R | epro | odu | ictive | t | oxicity |
|----|---|------|-----|--------|---|---------|
|    |   |      |     |        |   |         |

No data available.

## h) STOT-single exposure

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)

#### i) STOT-repeated exposure

No data available.

#### j) Aspiration hazard

No data available.

#### Symptoms / routes of exposure

| Skin contact                   | There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.         |
|--------------------------------|--|
| Eye contact                    | The eyes may water profusely. There may be irritation and redness.   |
| Ingestion                      | There may be irritation of the throat. There may be soreness and redness of the mouth and throat.                        |
| Inhalation                     | Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. |
| Delayed / immediate<br>effects | Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure.   |

#### Other information No data available.

#### 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

This product does not contain known or suspected endocrine disruptors according to REACH or relevant EU Regulations.

11.2.2 Other information

No additional information

#### 12. Ecological information

#### <sup>12.1</sup> Toxicity

No data available.

#### 12.2 Persistence and degradability

Biodegradable.

#### 12.3 Bioaccumulative potential

No bioaccumulation potential.

#### <sup>12.4</sup> Mobility in soil

Readily absorbed into soil.

#### 12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

## 12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

#### 12.7 Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1 Waste treatment methods

## Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

#### NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# **Glentham** LIFE SCIENCES

14.

GS2410 v3.0

## Safety Data Sheet

www.glentham.com

| ADR                          | IMDG                     | ΙΑΤΑ                     | ADN                      | RID                      |
|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 14.1. UN number              |                          |                          |                          |                          |
| UN1090                       | UN1090                   | UN1090                   | UN1090                   | UN1090                   |
| 14.2. UN proper shipping na  | me                       |                          |                          |                          |
| ACETONE                      | ACETONE                  | Acetone                  | ACETONE                  | ACETONE                  |
| Transport document descrip   | tion                     |                          |                          |                          |
| UN1090 ACETONE,<br>3, II     | UN1090 ACETONE,<br>3, II | UN1090 Acetone, 3,<br>II | UN1090 ACETONE,<br>3, II | UN1090 ACETONE,<br>3, II |
| 14.3. Transport hazard class | (es)                     |                          |                          |                          |
| 3                            | 3                        | 3                        | 3                        | 3                        |
|                              |                          |                          |                          |                          |
| 14.4. Packing group          |                          |                          |                          |                          |
| II                           | II                       | II                       | II                       | II                       |
| 14.5. Environmental hazards  |                          |                          |                          |                          |

#### 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

#### Authorisations/Restrictions

| Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to<br>authorisation:  | No data available. |
|--|--------------------|
| Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances: | No data available. |
| Regulation (EC) 1005/2009 on substances that deplete the ozone layer:  | No data available. |
| Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021:   | No data available. |

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### 16. Other information

### **H-Statement Full Texts**

- H225 Highly flammable liquid and vapour
- H319 Causes serious eye irritation
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness

#### Abbreviations Full Texts

| ADN<br>ADR | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways<br>European Agreement concerning the International Carriage of Dangerous Goods by Road |
|------------|--|
| ALARP      | As low as is reasonably practicable  |
| CAS        | Chemical Abstracts Service   |
| CLP        | Classification, Labelling and Packaging Regulations  |
| COSHH      | Control of Substances Hazardous to Health  |
| EC Number  | European Community Number  |

GS2410 v3.0



## Safety Data Sheet

www.glentham.com

| EC50    | Effective Concentration 50%  |
|---------|--|
| EILINCS | European List of Notified Chemical Substances                                |
| EINECS  | European Inventory of Existing Commercial Chemical Substances                |
| GHS     | Globally Harmonised System   |
| HSE     | Health & Safety Executive UK   |
| IATA    | International Air Transport Association                                      |
| IM      | Intramuscular  |
| IMDG    | The International Maritime Dangerous Goods Code                              |
| IP      | Intraperitoneal  |
| IV      | Intravascular  |
| LD50    | Lethal Dose 50%  |
| LOEC    | Lowest Observable Effective Concentration                                    |
| LTEL    | Long Term Exposure Limit   |
| NOEC    | No Observable Effective Concentration  |
| OECD    | Organisation for Economic Cooperations and Development                       |
| PBT     | Persistent Bioaccumulative Toxic   |
| PPE     | Personal Protective Equipment  |
| REACH   | Registration, Evaluation, Authorisation and Restriction of Chemicals         |
| RID     | Regulations Concerning the International Carriage of Dangerous Goods by Rail |
| SC      | Subcutaneous   |
| SDS     | Safety Data Sheet  |
| STEL    | Short Term Exposure Limit  |
| STOT    | Specific Target Organ Toxicity   |
| VOC     | Volatile Organic Compounds   |
|         |  |
| vPvB    | Very Persistent and Very Bioaccumulative                                     |
| WEL     | Workplace Exposure Limits  |
|         |  |

# This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glentham Life Sciences Limited. All rights reserved.