

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

1. Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Product code · GS3158

Product name : Petroleum Ether 30-40°C, GlenDry™, anhydrous

: 109-66-0 CAS number Physical form : liquid, substance

REACH A registration number is not available for this substance as the substance or its uses

are exempted from registration, the annual tonnage does not require a registration or

the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

: Glentham Life Sciences Ltd Company name Telephone +44 (0) 1225 667 798

Unit 5 Leafield Way Fax +44 (0) 2033 978 909 Corsham SN13 9SW Email info@glentham.com United Kingdom Web : www.glentham.com

1.4 **Emergency telephone number**

Emergency telephone: NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 - 17.00 GMT)

number

2 **Hazards identification**

2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H225 Flam. Liq. 2 H304 Asp. Tox. 1 H315 Skin Irr. 2 STOT SE 3 H335 H336 STOT SE 3 H410 Aquatic Chronic 1

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms









Signal words Danger

Hazard statements

Highly flammable liquid and vapour H225

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness

H410 Very toxic to aquatic life with long lasting effects

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: wash with plenty of water. P264 Do not breathe fume.

P241 Use explosion-proof electrical equipment.

Page 1 of 7 Revision Date: 2023-04-05, Printed: 2023-07-10 14:48:00



www.glentham.com

P261

Avoid breathing vapors.

2.3 Other hazards

PBT

This substance is not identified as a PBT substance.

3.0 Composition/information on ingredients

3.1 Substances

Name	Identifier	%	Classification
Petroleum Ether 30-40°C, GlenDry™,	CAS: 109-66-0		H225, Flam. Liq. 2
anhydrous	EC:		H304, Asp. Tox. 1
	REACH: Not		H315, Skin Irr. 2
	applicable		H335, STOT SE 3
			H336, STOT SE 3
			H410 Aquatic Chronic 1

4. First aid measures

4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye contact	Consult a doctor. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Wash out mouth with water.
Inhalation	Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2 Most important symptoms and effects, both acute and delayed

	•
Skin contact	There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	The eyes may water profusely. There may be irritation and redness.
Ingestion	Nausea and stomach pain may occur. There may be irritation of the throat. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Drowsiness or mental confusion may occur. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be vomiting.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Drowsiness or mental confusion may occur. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting.

5. Fire-fighting measures

5.1 Extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Water spray.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

Page 2 of 7 Revision Date: 2023-04-05, Printed: 2023-07-10 14:48:00



www.glentham.com

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Do not create dust. Eliminate all sources of ignition. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is exhaust ventilation of the area. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. The floor of the storage room must be impermeable to prevent the escape of liquids. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Substance (CAS)	Control Parameter	Value	Notes	Source
Pentane (109-66-0)	Long-term Exposure Limit (ppm)	600	UK HSE EH40/20	
	Long-term Exposure Limit (mg m ⁻³)	1800		
	Long-term Exposure Limit (ppm)	3000		2006/15/EC
	Long-term Exposure Limit (mg m ⁻³)	1000		

8.2 Exposure controls

Engineering measures	Ensure lighting and electrical equipment are not a source of ignition. Ensure there is exhaust ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids. Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Ensure eye bath is to hand. Safety glasses.

Page 3 of 7 Revision Date: 2023-04-05, Printed: 2023-07-10 14:48:00



www.glentham.com

Skin protection	Protective clothing.
Environmental	The floor of the storage room must be impermeable to prevent the escape of liquids.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid
Colour Colourless
Odour No data available.
Melting point/Freezing point -129.7 °C

Boiling point/initial boiling point/boiling range 36.1 °C

Flammability

Lower/Upper explosion limit Flash Point

Auto-ignition temperature Decomposition temperature

pH Kinematic viscosity

Solubility
Partition coefficient n-octanol/water

Vapour pressure
Density/relative density

Relative vapour pressure Particle characteristics

Highly flammable liquid and vapour No data available.
0.626

No data available. No data available.

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable at room temperature. Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

10.4 Conditions to avoid

Flames. Hot surfaces. Sources of ignition. Heat.

10.5 Incompatible materials

Materials to avoid

Carbon dioxide. Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity

Pentane

4 hr LC50 Rat (Inhalation): 364000 mg/m3 4 hr LC50 Rat (Inhalation): 364 g/m3 LD50 Mouse (IV): 446 mg/kg

b) Skin corrosion/irritation

Skin corrosion/irritation (Category 2)

c) Serious eye damage/irritation

No data available.

d) Respiratory or skin sensitisation

Page 4 of 7 Revision Date: 2023-04-05, Printed: 2023-07-10 14:48:00



www.glentham.com

No data available.

e) Germ cell mutagenicity

No data available.

f) Carcinogenicity

No data available.

g) Reproductive toxicity

No data available.

h) STOT-single exposure

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)

i) STOT-repeated exposure

No data available.

j) Aspiration hazard

Aspiration hazard (Category 1)

11.2 Symptoms / routes of exposure

Skin contact	There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	The eyes may water profusely. There may be irritation and redness.
Ingestion	Nausea and stomach pain may occur. There may be irritation of the throat. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Drowsiness or mental confusion may occur. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be vomiting.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Drowsiness or mental confusion may occur. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.
Other information	No data available.

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Not biodegradable.

12.3 Bioaccumulative potential

Bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NE

Page 5 of 7 Revision Date: 2023-04-05, Printed: 2023-07-10 14:48:00



www.glentham.com

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN1268	UN1268	UN1268	UN1268	UN1268
14.2. UN proper shipping na	me			
PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.	Petroleum distillates, n.o.s.	PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.
Transport document descrip	otion			
UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 30-40°C, GLENDRY™, ANHYDROUS), 3, I	UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 30-40°C, GLENDRY™, ANHYDROUS), 3, I	UN1268 Petroleum distillates, n.o.s. (Petroleum Ether 30-40°C, GlenDry™, anhydrous), 3, I	UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 30-40°C, GLENDRY™, ANHYDROUS), 3, I	UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 30-40°C, GLENDRY™, ANHYDROUS), 3, I
14.3. Transport hazard class	s(es)			
3	3	3	3	3
A				
14.4. Packing group				
I	I	I	I	ı
14.5. Environmental hazards	S			
No	No	No	No	No

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation:

No data available.

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing No data available. on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer:

No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021:

No data available.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts



www.glentham.com

H225 Highly flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness

H410 Very toxic to aquatic life with long lasting effects

Abbreviations Full Texts

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ALARP As low as is reasonably practicable

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulations
COSHH Control of Substances Hazardous to Health

EC Number European Community Number EC50 Effective Concentration 50%

EILINCS European List of Notified Chemical Substances

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System
HSE Health & Safety Executive UK
IATA International Air Transport Association

IM Intramuscular

IMDG The International Maritime Dangerous Goods Code

IP Intraperitoneal IV Intravascular LD50 Lethal Dose 50%

LOEC Lowest Observable Effective Concentration

LTEL Long Term Exposure Limit

NOEC No Observable Effective Concentration

OECD Organisation for Economic Cooperations and Development

PBT Persistent Bioaccumulative Toxic
PPE Personal Protective Equipment

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SC Subcutaneous
SDS Safety Data Sheet
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
VOC Volatile Organic Compounds

vPvB Very Persistent and Very Bioaccumulative

WEL Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glentham Life Sciences Limited. All rights reserved.

Page 7 of 7 Revision Date: 2023-04-05, Printed: 2023-07-10 14:48:00