

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product code : GS3517  
 Product name : Methanol 205, GlenPure™, analytical grade gradient quality  
 CAS number : 67-56-1  
 EINECS : 200-659-6  
 Physical form : liquid, substance  
 REACH : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

### 1.3 Details of the supplier of the safety data sheet

Company name	: Glentham Life Sciences Ltd	Telephone	: +44 (0) 1225 667 798
	Unit 5 Leafield Way	Fax	: +44 (0) 2033 978 909
	Corsham SN13 9SW	Email	: <a href="mailto:info@glentham.com">info@glentham.com</a>
	United Kingdom	Web	: <a href="http://www.glentham.com">www.glentham.com</a>

### 1.4 Emergency telephone number

Emergency telephone : NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 – 17.00 GMT) number

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H225	Flam. Liq. 2
H301	Acute Tox. 3
H311	Acute Tox. 3
H331	Acute Tox. 3
H370	STOT SE 1

### 2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

#### Pictograms



GHS02 GHS06 GHS08

#### Signal words

Danger

#### Hazard statements

H225	Highly flammable liquid and vapour
H301	Toxic if swallowed
H311	Toxic in contact with skin
H331	Toxic if inhaled
H370	Causes damage to organs

#### Precautionary statements

P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
P311	Call a POISON CENTER or doctor/...
P261	Avoid breathing vapors.
P241	Use explosion-proof electrical equipment.
P264	Do not breathe fume.

### 2.3 Other hazards

### PBT

This substance is not identified as a PBT substance.

## 3.0 Composition/information on ingredients

### 3.1 Substances

Name	Identifier	%	Classification
Methanol 205, GlenPure™, analytical grade gradient quality	CAS: 67-56-1 EC: 200-659-6 REACH: Not applicable	99.9%	H225, Flam. Liq. 2 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, Acute Tox. 3 H370, STOT SE 1

## 4. First aid measures

### 4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning.
Eye contact	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water.
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Remove casualty from exposure ensuring one's own safety whilst doing so. Transfer to hospital as soon as possible. Consult a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

Skin contact	Absorption through the skin may be fatal. Irritation or pain may occur at the site of contact. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact. There may be redness or whiteness of the skin in the area of exposure.
Eye contact	The eyes may water profusely. There may be irritation and redness. There may be severe pain.
Ingestion	Convulsions may occur. Nausea and stomach pain may occur. There may be irritation of the throat. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.
Delayed / immediate effects	Convulsions may occur. Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be loss of consciousness.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Immediate / special treatment

Do not induce vomiting. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

## 5. Fire-fighting measures

### 5.1 Extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Water spray.

## 5.2 Special hazards arising from the substance or mixture

### Exposure hazards

Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture. Toxic.

## 5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

## 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. Eliminate all sources of ignition. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Turn leaking containers leak-side up to prevent the escape of liquid. Refer to section 8 of SDS for personal protection details.

### 6.2 Environmental precautions

Contain the spillage using bunding. Do not discharge into drains or rivers.

### 6.3 Methods and material for containment and cleaning up

#### Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Absorb into dry earth or sand. Do not use equipment in clean-up procedure which may produce sparks.

### 6.4 Reference to other sections

Refer to section 8 of SDS.

## 7. Handling and storage

### 7.1 Precautions for safe handling

#### Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is exhaust ventilation of the area. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Avoid contact with water or humidity. Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. Store in cool, well ventilated area.

### 7.3 Specific end use(s)

No data available.

## 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Workplace exposure limits

Substance (CAS)	Control Parameter	Value	Notes	Source
Methanol (67-56-1)	Long-term Exposure Limit (ppm)	200	Sk	UK HSE EH40/2005
	Long-term Exposure Limit (mg m <sup>-3</sup> )	266		
	Short-term Exposure Limit (ppm)	250		
	Short-term Exposure Limit (mg m <sup>-3</sup> )	333		
	Long-term Exposure Limit (ppm)	260	skin	2006/15/EC
	Long-term Exposure Limit (mg m <sup>-3</sup> )	200		

## 8.2 Exposure controls

Engineering measures	Ensure lighting and electrical equipment are not a source of ignition. Ensure there is exhaust ventilation of the area. Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Impermeable gloves. Protective gloves.
Eye protection	Ensure eye bath is to hand. Safety glasses with side-shields. Safety glasses.
Skin protection	Protective clothing.

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	Colourless
Odour	No data available.
Melting point/Freezing point	-97.8 °C
Boiling point/initial boiling point/boiling range	64.7 °C @ Press: 760 Torr
Flammability	Highly flammable liquid and vapour
Lower/Upper explosion limit	No data available.
Flash Point	No data available.
Auto-ignition temperature	455°C
Decomposition temperature	No data available.
pH	No data available.
Kinematic viscosity	No data available.
Solubility	No data available.
Partition coefficient n-octanol/water	No data available.
Vapour pressure	No data available.
Density/relative density	0.810
Relative vapour pressure	No data available.
Particle characteristics	No data available.

### 9.2 Other information

No data available.

## 10. Stability and reactivity

### 10.1 Reactivity

Stable under recommended transport or storage conditions.

### 10.2 Chemical stability

Stable at room temperature. Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

#### Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

#### 10.4 Conditions to avoid

Flames. Hot surfaces. Sources of ignition. Heat.

#### 10.5 Incompatible materials

Materials to avoid

Carbon dioxide. Strong acids. Strong oxidising agents.

### 11. Toxicological information

#### 11.1 Information on toxicological effects

##### a) Acute toxicity

**Methanol**

24 hr EC50 Algae (Chlorella pyrenoidosa) (Aquatic): 65000-78000 ug/L

4 hr LC50 Rat (Inhalation): 64000 ppm

LD50 Rat (Oral): 5628 mg/kg

LD50 Monkey (Oral): 2-3 g/kg

LD50 Mouse (Oral): 7300 mg/kg

LD50 Rabbit (Oral): 14.4 g/kg

##### b) Skin corrosion/irritation

No data available.

##### c) Serious eye damage/irritation

No data available.

##### d) Respiratory or skin sensitisation

No data available.

##### e) Germ cell mutagenicity

No data available.

##### f) Carcinogenicity

No data available.

##### g) Reproductive toxicity

No data available.

##### h) STOT-single exposure

Specific target organ toxicity, single exposure (Category 1)

##### i) STOT-repeated exposure

No data available.

##### j) Aspiration hazard

No data available.

#### 11.2 Symptoms / routes of exposure

<b>Skin contact</b>	Absorption through the skin may be fatal. Irritation or pain may occur at the site of contact. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact. There may be redness or whiteness of the skin in the area of exposure.
<b>Eye contact</b>	The eyes may water profusely. There may be irritation and redness. There may be severe pain.
<b>Ingestion</b>	Convulsions may occur. Nausea and stomach pain may occur. There may be irritation of the throat. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting.
<b>Inhalation</b>	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.
<b>Delayed / immediate effects</b>	Convulsions may occur. Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be loss of consciousness.
<b>Other information</b>	No data available.

## 12. Ecological information

### 12.1 Toxicity

24 hr EC50 Algae (*Chlorella fusca* var. *vacuolata*): 0.77 µmol/L  
 24 hr EC50 Algae (*Chlorella pyrenoidosa*): 6 µmol/L  
 48 hr EC50 Algae (*Pseudokirchneriella subcapitata*): 3010 µg/L  
 48 hr EC50 Algae (*Pseudokirchneriella subcapitata*): 60400 µg/L

### 12.2 Persistence and degradability

Biodegradable.

### 12.3 Bioaccumulative potential

No bioaccumulation potential.

### 12.4 Mobility in soil

Readily absorbed into soil.

### 12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

### 12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

### 12.7 Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## 14. Transport information

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN1230	UN1230	UN1230	UN1230	UN1230
<b>14.2. UN proper shipping name</b>				
METHANOL	METHANOL	Methanol	METHANOL	METHANOL
<b>Transport document description</b>				
UN1230 METHANOL, 3 (6.1), II	UN1230 METHANOL, 3 (6.1), II	UN1230 Methanol, 3 (6.1), II	UN1230 METHANOL, 3 (6.1), II	UN1230 METHANOL, 3 (6.1), II
<b>14.3. Transport hazard class(es)</b>				
3 (6.1)	3 (6.1)	3 (6.1)	3 (6.1)	3 (6.1)
<b>14.4. Packing group</b>				
II	II	II	II	II

### 14.5. Environmental hazards

No No No No No

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

#### Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation: No data available.

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing 20 Apr 2018, Entry No.: 69 on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer: No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021: No data available.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## 16. Other information

### H-Statement Full Texts

H225 Highly flammable liquid and vapour  
H301 Toxic if swallowed  
H311 Toxic in contact with skin  
H331 Toxic if inhaled  
H370 Causes damage to organs

### Abbreviations Full Texts

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR European Agreement concerning the International Carriage of Dangerous Goods by Road  
ALARP As low as is reasonably practicable  
CAS Chemical Abstracts Service  
CLP Classification, Labelling and Packaging Regulations  
COSHH Control of Substances Hazardous to Health  
EC Number European Community Number  
EC50 Effective Concentration 50%  
EILINCS European List of Notified Chemical Substances  
EINECS European Inventory of Existing Commercial Chemical Substances  
GHS Globally Harmonised System  
HSE Health & Safety Executive UK  
IATA International Air Transport Association  
IM Intramuscular  
IMDG The International Maritime Dangerous Goods Code  
IP Intraperitoneal  
IV Intravascular  
LD50 Lethal Dose 50%  
LOEC Lowest Observable Effective Concentration  
LTEL Long Term Exposure Limit  
NOEC No Observable Effective Concentration  
OECD Organisation for Economic Cooperations and Development  
PBT Persistent Bioaccumulative Toxic  
PPE Personal Protective Equipment  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID Regulations Concerning the International Carriage of Dangerous Goods by Rail  
SC Subcutaneous  
SDS Safety Data Sheet  
STEL Short Term Exposure Limit  
VOC Volatile Organic Compounds  
vPvB Very Persistent and Very Bioaccumulative  
WEL Workplace Exposure Limits

**This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006,  
amended by Commission Regulation (EU) 2020/787.**

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.