GS3913 v2.0

Glentham

Safety Data Sheet

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

	-	• • • • •					
1.	Identification of the substance/mixture and of the company/undertaking						
1.1	Product identifier						
	Product code :	GS3913					
	Product name :	Petroleum Ether 40-60°C, GlenD	ry™, anhydrous	;			
	CAS number :	8032-32-4					
	Physical form :	liquid, substance					
	REACH :	A registration number is not avail are exempted from registration, t the registration is envisaged for a	he annual tonna	ige d	loes not require a registration or		
1.2	Relevant identified uses of the substance or mixture and uses advised against						
	PC21: Laboratory chem	licals.					
1.3	Details of the supplier of the safety data sheet						
	Company name :	Glentham Life Sciences Ltd	Telephone	:	+44 (0) 1225 667 798		
		Unit 5 Leafield Way	Fax	:	+44 (0) 2033 978 909		
		Corsham SN13 9SW	Email	:	info@glentham.com		
		United Kingdom	Web	:	www.glentham.com		
1.4	Emergency telephone	number					
	Emergency telephone : number	NHS Direct 111 (UK, 24 hours), 7	112 (EU, 24 Hou	ırs),	+44 (0) 1225 667 798 (09.00 – 17.00 GMT)		

2. Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/200	8
---	---

	• • •
H225	Flam. Liq. 2
H304	Asp. Tox. 1
H315	Skin Irr. 2
H335	STOT SE 3
H336	STOT SE 3
H410	Aquatic Chronic 1

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms



Signal words	Danger
Hazard statements	
H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H410	Very toxic to aquatic life with long lasting effects
EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements	
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources No smoking.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: wash with plenty of water.
P264	Do not breathe fume.
P241	Use explosion-proof electrical equipment.

Glentham

Safety Data Sheet

www.glentham.com

P261

Avoid breathing vapors.

2.3 Other hazards

РВТ

This substance is not identified as a PBT substance.

3.0 Composition/information on ingredients

3.1 Substances

Name	Identifier	%	Classification
Petroleum Ether 40-60°C, GlenDry™, anhydrous	CAS: 8032-32-4 EC: REACH: Not applicable		H225, Flam. Liq. 2 H304, Asp. Tox. 1 H315, Skin Irr. 2 H335, STOT SE 3 H336, STOT SE 3 H410, Aquatic Chronic 1

4. First aid measures

4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye contact	Consult a doctor. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Wash out mouth with water.
Inhalation	Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact	There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	The eyes may water profusely. There may be irritation and redness.
Ingestion	Nausea and stomach pain may occur. There may be irritation of the throat. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Drowsiness or mental confusion may occur. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be vomiting.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Drowsiness or mental confusion may occur. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting.

5. Fire-fighting measures

5.1 Extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Water spray.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

Glentham

GS3913 v2.0

Safety Data Sheet

www.glentham.com

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Do not create dust. Eliminate all sources of ignition. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is exhaust ventilation of the area. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. The floor of the storage room must be impermeable to prevent the escape of liquids. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

No workplace exposure limit control parameters set

8.2 Exposure controls

Engineering measures	Ensure lighting and electrical equipment are not a source of ignition. Ensure there is exhaust ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids. Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Ensure eye bath is to hand. Safety glasses.
Skin protection	Protective clothing.
Environmental	The floor of the storage room must be impermeable to prevent the escape of liquids.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Glentham

Safety Data Sheet

www.glentham.com

Physical state Colour Odour Melting point/Freezing point Boiling point/Initial boiling point/boiling range Flammability Lower/Upper explosion limit Flash Point Auto-ignition temperature Decomposition temperature pH Kinematic viscosity Solubility Partition coefficient n-octanol/water Vapour pressure Density/relative density Relative vapour pressure Particle characteristics	Liquid Colouri No data 40°C – Extrem No data No data No data No data No data No data No data No data No data No data
Particle characteristics	No data

lourless data available. data available. $^{\circ}C \rightarrow 60^{\circ}C$ tremely flammable data available. data available. data available data available. data available.

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable at room temperature. Stable under normal conditions.

^{10.3} Possibility of hazardous reactions

Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

^{10.4} Conditions to avoid

Flames. Hot surfaces. Sources of ignition. Heat.

^{10.5} Incompatible materials

Materials to avoid

Carbon dioxide. Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

- a) Acute toxicity No data available.
- b) Skin corrosion/irritation
 Skin corrosion/irritation (Category 2)
- c) Serious eye damage/irritation No data available.
- d) Respiratory or skin sensitisation No data available.
- e) Germ cell mutagenicity No data available.
- f) Carcinogenicity No data available.
- g) Reproductive toxicity No data available.
- h) STOT-single exposure

GS3913 v2.0



Safety Data Sheet

www.glentham.com

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)

i) STOT-repeated exposure

No data available.

j) Aspiration hazard

Aspiration hazard (Category 1)

11.2 Symptoms / routes of exposure

Skin contact	There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact. The eyes may water profusely. There may be irritation and redness.				
Eye contact					
Ingestion	Nausea and stomach pain may occur. There may be irritation of the throat. There may be soreness and redness of the mouth and throat. There may be vomiting.				
Inhalation	Drowsiness or mental confusion may occur. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be vomiting.				
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Drowsiness or mental confusion may occur. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.				
Other information	No data available.				
cological information	on				

12. Ecological in 12.1 Toxicity

No data available.

^{12.2} Persistence and degradability

Not biodegradable.

12.3 Bioaccumulative potential

Bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

^{12.5} Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

^{12.6} Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID			
14.1. UN number							
UN1268	UN1268	UN1268	UN1268	UN1268			

Glentham LIFE SCIENCES

Safety Data Sheet

www.glentham.com

PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.	Petroleum distillates, n.o.s.	PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.
Transport document descri	otion			
UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 40-60°C, GLENDRY™, ANHYDROUS), 3, I	UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 40-60°C, GLENDRY™, ANHYDROUS), 3, I	UN1268 Petroleum distillates, n.o.s. (Petroleum Ether 40-60°C, GlenDry™, anhydrous), 3, I	UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 40-60°C, GLENDRY™, ANHYDROUS), 3, I	UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 40-60°C, GLENDRY™, ANHYDROUS), 3, I
14.3. Transport hazard class	s(es)			
3	3	3	3	3
14.4. Packing group				
I	I	I	Ι	I
14.5. Environmental hazards	5			
No	Νο	Νο	No	No
Regulatory information				
afety, health and environmer	ntal regulations/legislation spec	ific for the substance or mixture		
his Safety Data Sheet Regulation (EU) 2020/78		with Commission Regula	tion (EC) 1907/2006, am	ended by Commission
uthorisations/Restrictions				
Regulation (EC) 1907 authorisation:	7/2006, REACH, Annex XI	IV list of substances subje	ct to No dat	a available.
	7/2006, REACH, Annex X e of certain dangerous su	VII restrictions on the man bstances:	ufacture, placing No dat	a available.
	5/2009 on substances that		No dat	a available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No No data available.

2019/1021: 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

15.

H-Statement Full Texts

- H225 Highly flammable liquid and vapour
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H410 Very toxic to aquatic life with long lasting effects

Abbreviations Full Texts

Glentham LIFE SCIENCES

Safety Data Sheet

www.glentham.com

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ALARP	As low as is reasonably practicable
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging Regulations
COSHH	Control of Substances Hazardous to Health
EC Number	European Community Number
EC50	Effective Concentration 50%
EILINCS	European List of Notified Chemical Substances
EINECS	European Inventory of Existing Commercial Chemical Substances
GHS	Globally Harmonised System
HSE	Health & Safety Executive UK
IATA	International Air Transport Association
IM	Intramuscular
IMDG	The International Maritime Dangerous Goods Code
IP	Intraperitoneal
IV	Intravascular
LD50	Lethal Dose 50%
LOEC	Lowest Observable Effective Concentration
LTEL	Long Term Exposure Limit
NOEC	No Observable Effective Concentration
OECD	Organisation for Economic Cooperations and Development
PBT	Persistent Bioaccumulative Toxic
PPE	Personal Protective Equipment
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations Concerning the International Carriage of Dangerous Goods by Rail
SC	Subcutaneous
SDS	Safety Data Sheet
	Regulations Concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL	Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glentham Life Sciences Limited. All rights reserved.