

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product code : GS4125  
Product name : Ethyl Acetate, GlenDry™, anhydrous over molecular sieve  
CAS number : 141-78-6  
EINECS : 205-500-4  
Physical form : liquid, substance  
REACH : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

#### 1.3 Details of the supplier of the safety data sheet

Company name	: Glentham Life Sciences Ltd	Telephone	: +44 (0) 1225 667 798
	Unit 5 Leafield Way	Fax	: +44 (0) 2033 978 909
	Corsham SN13 9SW	Email	: <a href="mailto:info@glentham.com">info@glentham.com</a>
	United Kingdom	Web	: <a href="http://www.glentham.com">www.glentham.com</a>

#### 1.4 Emergency telephone number

Emergency telephone : NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 – 17.00 GMT) number

### 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H225	Flam. Liq. 2
H319	Eye Irr. 2A
H335	STOT SE 3
H336	STOT SE 3

#### 2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

##### Pictograms



GHS02 GHS07

##### Signal words

Danger

##### Hazard statements

H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

##### Precautionary statements

P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P241	Use explosion-proof electrical equipment.

#### 2.3 Other hazards

##### PBT

This substance is not identified as a PBT substance.

### 3.0 Composition/information on ingredients

#### 3.1 Substances

Name	Identifier	%	Classification
Ethyl Acetate, GlenDry™, anhydrous over molecular sieve	CAS: 141-78-6 EC: 205-500-4 REACH: Not applicable	99.9%	H225, Flam. Liq. 2 H319, Eye Irr. 2A H335, STOT SE 3 H336, STOT SE 3

### 4. First aid measures

#### 4.1 Description of first aid measures

<b>Skin contact</b>	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
<b>Eye contact</b>	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
<b>Ingestion</b>	Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Wash out mouth with water.
<b>Inhalation</b>	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

<b>Skin contact</b>	There may be mild irritation at the site of contact.
<b>Eye contact</b>	May cause permanent damage. The eyes may water profusely. The vision may become blurred. There may be irritation and redness. There may be pain and redness. There may be severe pain.
<b>Ingestion</b>	Nausea and stomach pain may occur. There may be irritation of the throat. There may be soreness and redness of the mouth and throat.
<b>Inhalation</b>	Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest.
<b>Delayed / immediate effects</b>	Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.

#### 4.3 Indication of any immediate medical attention and special treatment needed

##### Immediate / special treatment

Do not induce vomiting. Eye bathing equipment should be available on the premises.

### 5. Fire-fighting measures

#### 5.1 Extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Water spray.

#### 5.2 Special hazards arising from the substance or mixture

##### Exposure hazards

Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture.

#### 5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. Eliminate all sources of ignition. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

## 6.2 Environmental precautions

Do not discharge into drains or rivers.

## 6.3 Methods and material for containment and cleaning up

### Clean-up procedures

Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

## 6.4 Reference to other sections

Refer to section 8 of SDS.

## 7. Handling and storage

### 7.1 Precautions for safe handling

#### Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Avoid contact with water or humidity. Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. Store in cool, well ventilated area.

### 7.3 Specific end use(s)

No data available.

## 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Workplace exposure limits

Substance (CAS)	Control Parameter	Value	Notes	Source
Ethyl acetate (141-78-6)	Long-term Exposure Limit (ppm)	200		UK HSE EH40/2005
	Long-term Exposure Limit (mg m <sup>-3</sup> )	734		
	Short-term Exposure Limit (ppm)	400		
	Short-term Exposure Limit (mg m <sup>-3</sup> )	1468		
	Long-term Exposure Limit (ppm)	734		(EU) 2017/164
	Long-term Exposure Limit (mg m <sup>-3</sup> )	200		
	Short-term Exposure Limit (ppm)	1 468		
	Short-term Exposure Limit (mg m <sup>-3</sup> )	400		

### 8.2 Exposure controls

**Engineering measures** Ensure lighting and electrical equipment are not a source of ignition. Ensure there is sufficient ventilation of the area.

**Respiratory protection** Respiratory protective device with particle filter. Self-contained breathing apparatus must be available in case of emergency.

**Hand protection** Protective gloves.

Eye protection	Ensure eye bath is to hand. Tightly fitting safety goggles. Safety glasses.
----------------	---

Skin protection	Protective clothing.
-----------------	----------------------

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	Colourless
Odour	No data available.
Melting point/Freezing point	-83 °C
Boiling point/initial boiling point/boiling range	77 °C
Flammability	Highly flammable
Lower/Upper explosion limit	No data available.
Flash Point	No data available.
Auto-ignition temperature	426 - 427 °C
Decomposition temperature	No data available.
pH	No data available.
Kinematic viscosity	No data available.
Solubility	80 - 83.1 g/L @ 20 - 25 °C
Partition coefficient n-octanol/water	No data available.
Vapour pressure	No data available.
Density/relative density	0.902
Relative vapour pressure	No data available.
Particle characteristics	No data available.

### 9.2 Other information

No data available.

## 10. Stability and reactivity

### 10.1 Reactivity

Stable under recommended transport or storage conditions.

### 10.2 Chemical stability

Stable at room temperature. Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

#### Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

### 10.4 Conditions to avoid

Flames. Hot surfaces. Sources of ignition. Heat.

### 10.5 Incompatible materials

#### Materials to avoid

Carbon dioxide. Strong acids. Strong oxidising agents.

## 11. Toxicological information

### 11.1 Information on toxicological effects

#### a) Acute toxicity

##### Ethyl acetate

2 hr LC50 Mouse (Inhalation): 45000 mg/m<sup>3</sup>

4 hr LC50 Mouse (Inhalation): 1500 ppm

4 hr LC50 Rabbit (Inhalation): 2500 ppm

LD50 Rat (Oral): 11.3 mL/kg

LD50 Rabbit (Oral): 4.9 g/kg

#### b) Skin corrosion/irritation

No data available.

#### c) Serious eye damage/irritation

Serious eye damage/eye irritation (Category 2A)

- d) **Respiratory or skin sensitisation**  
No data available.
- e) **Germ cell mutagenicity**  
No data available.
- f) **Carcinogenicity**  
No data available.
- g) **Reproductive toxicity**  
No data available.
- h) **STOT-single exposure**  
Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)
- i) **STOT-repeated exposure**  
No data available.
- j) **Aspiration hazard**  
No data available.

### 11.2 Symptoms / routes of exposure

<b>Skin contact</b>	There may be mild irritation at the site of contact.
<b>Eye contact</b>	May cause permanent damage. The eyes may water profusely. The vision may become blurred. There may be irritation and redness. There may be pain and redness. There may be severe pain.
<b>Ingestion</b>	Nausea and stomach pain may occur. There may be irritation of the throat. There may be soreness and redness of the mouth and throat.
<b>Inhalation</b>	Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest.
<b>Delayed / immediate effects</b>	Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.
<b>Other information</b>	No data available.

## 12. Ecological information

### 12.1 Toxicity

24 hr EC50 Algae (Chlorococcales): 4300000 ug/L  
 48 hr EC50 Algae (Scenedesmus subspicatus): 3300 mg/L  
 48 hr EC50 Algae (Scenedesmus subspicatus): 5600 mg/L

### 12.2 Persistence and degradability

Biodegradable.

### 12.3 Bioaccumulative potential

No bioaccumulation potential.

### 12.4 Mobility in soil

Readily absorbed into soil.

### 12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

### 12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

### 12.7 Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB**

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## 14. Transport information

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN1173	UN1173	UN1173	UN1173	UN1173
<b>14.2. UN proper shipping name</b>				
ETHYL ACETATE				
<b>Transport document description</b>				
UN1173 ETHYL ACETATE (ETHYL ACETATE, GLENDRY™, ANHYDROUS OVER MOLECULAR SIEVE), 3, II	UN1173 ETHYL ACETATE (ETHYL ACETATE, GLENDRY™, ANHYDROUS OVER MOLECULAR SIEVE), 3, II	UN1173 Ethyl acetate (Ethyl Acetate, GlenDry™, anhydrous over molecular sieve), 3, II	UN1173 ETHYL ACETATE (ETHYL ACETATE, GLENDRY™, ANHYDROUS OVER MOLECULAR SIEVE), 3, II	UN1173 ETHYL ACETATE (ETHYL ACETATE, GLENDRY™, ANHYDROUS OVER MOLECULAR SIEVE), 3, II
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3
				
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
No	No	No	No	No

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

#### Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation: No data available.

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances: No data available.

Regulation (EC) 1005/2009 on substances that deplete the ozone layer: No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021: No data available.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## 16. Other information

### H-Statement Full Texts

H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

**Abbreviations Full Texts**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ALARP	As low as is reasonably practicable
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging Regulations
COSHH	Control of Substances Hazardous to Health
EC Number	European Community Number
EC50	Effective Concentration 50%
EILINCS	European List of Notified Chemical Substances
EINECS	European Inventory of Existing Commercial Chemical Substances
GHS	Globally Harmonised System
HSE	Health & Safety Executive UK
IATA	International Air Transport Association
IM	Intramuscular
IMDG	The International Maritime Dangerous Goods Code
IP	Intraperitoneal
IV	Intravascular
LD50	Lethal Dose 50%
LOEC	Lowest Observable Effective Concentration
LTEL	Long Term Exposure Limit
NOEC	No Observable Effective Concentration
OECD	Organisation for Economic Cooperations and Development
PBT	Persistent Bioaccumulative Toxic
PPE	Personal Protective Equipment
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations Concerning the International Carriage of Dangerous Goods by Rail
SC	Subcutaneous
SDS	Safety Data Sheet
STEL	Short Term Exposure Limit
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL	Workplace Exposure Limits

**This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.**

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.