

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : GS4207
 Product name : 2-Methylpropan-1-ol, GlenDry™, anhydrous
 CAS number : 78-83-1
 EINECS : 201-148-0
 Physical form : liquid, substance
 REACH : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company name	: Glentham Life Sciences Ltd	Telephone	: +44 (0) 1225 667 798
	Unit 5 Leaffield Way	Fax	: +44 (0) 2033 978 909
	Corsham SN13 9SW	Email	: info@glentham.com
	United Kingdom	Web	: www.glentham.com

1.4 Emergency telephone number

Emergency telephone : NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 – 17.00 GMT) number

2. Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H225	Flam. Liq. 2
H226	Flam. Liq. 3
H314	Skin Corr. 1C
H315	Skin Irr. 2
H318	Eye Dam. 1
H335	STOT SE 3
H336	STOT SE 3

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms



GHS02 GHS05 GHS07

Signal words

Danger

Hazard statements

H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

Precautionary statements

P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.
P312 Call a POISON CENTER or doctor/... if you feel unwell.
P264 Do not breathe fume.
P241 Use explosion-proof electrical equipment.
P261 Avoid breathing vapors.

2.3 Other hazards

PBT

This substance is not identified as a PBT substance.

3.0 Composition/information on ingredients

3.1 Substances

Name	Identifier	%	Classification
2-Methylpropan-1-ol, GlenDry™, anhydrous	CAS: 78-83-1 EC: 201-148-0 REACH: Not applicable	99.8%	H225, Flam. Liq. 2 H226, Flam. Liq. 3 H314, Skin Corr. 1C H315, Skin Irr. 2 H318, Eye Dam. 1 H335, STOT SE 3 H336, STOT SE 3

4. First aid measures

4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water.
Eye contact	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water.
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Remove casualty from exposure ensuring one's own safety whilst doing so. Transfer to hospital as soon as possible. Consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from the mouth or nose. There may be irritation of the throat. There may be soreness and redness of the mouth and throat.
Inhalation	Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. There may be bleeding from the mouth or nose.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting. Eye bathing equipment should be available on the premises.

5. Fire-fighting measures

5.1 Extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Water spray.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

Corrosive. Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. Eliminate all sources of ignition. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Substance (CAS)	Control Parameter	Value	Notes	Source
2-Methylpropan-1-ol (78-83-1)	Long-term Exposure Limit (ppm)	50		UK HSE EH40/2005
	Long-term Exposure Limit (mg m ⁻³)	154		
	Short-term Exposure Limit (ppm)	75		
	Short-term Exposure Limit (mg m ⁻³)	231		

8.2 Exposure controls

Engineering measures	Ensure lighting and electrical equipment are not a source of ignition. Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self-contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Ensure eye bath is to hand. Tightly fitting safety goggles. Safety glasses.
Skin protection	Protective clothing.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	Colourless
Odour	No data available.
Melting point/Freezing point	-108 °C
Boiling point/initial boiling point/boiling range	108 °C
Flammability	Highly flammable liquid and vapour
Lower/Upper explosion limit	No data available.
Flash Point	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
pH	No data available.
Kinematic viscosity	No data available.
Solubility	70 g/L @ 20 °C
Partition coefficient n-octanol/water	No data available.
Vapour pressure	No data available.
Density/relative density	0.802
Relative vapour pressure	No data available.
Particle characteristics	No data available.

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable at room temperature. Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

10.4 Conditions to avoid

Flames. Hot surfaces. Sources of ignition. Heat.

10.5 Incompatible materials

Materials to avoid

Carbon dioxide. Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity

2-Methylpropan-1-ol

LD50 Rabbit (Dermal): 3392 mg/kg

LD50 Mouse (IP): 544 mg/kg

LD50 Rat (Oral): 3100 mg/kg

LD50 Rat (Oral): 2.46 g/kg

b) Skin corrosion/irritation

Skin corrosion/irritation (Category 1C)

Skin corrosion/irritation (Category 2)

c) Serious eye damage/irritation

Serious eye damage/eye irritation (Category 1)

d) Respiratory or skin sensitisation

No data available.

e) Germ cell mutagenicity

No data available.

f) Carcinogenicity

No data available.

g) Reproductive toxicity

No data available.

h) STOT-single exposure

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)

i) STOT-repeated exposure

No data available.

j) Aspiration hazard

No data available.

11.2 Symptoms / routes of exposure

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from the mouth or nose. There may be irritation of the throat. There may be soreness and redness of the mouth and throat.
Inhalation	Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. There may be bleeding from the mouth or nose.
Other information	No data available.

12. Ecological information

12.1 Toxicity

48 hr EC50 Algae (Scenedesmus subspicatus): 230 mg/L

48 hr EC50 Algae (Scenedesmus subspicatus): 1250 mg/L

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods






Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN1212	UN1212	UN1212	UN1212	UN1212
14.2. UN proper shipping name				
ISOBUTANOL	ISOBUTANOL	Isobutanol	ISOBUTANOL	ISOBUTANOL
Transport document description				
UN1212 ISOBUTANOL, 3, III	UN1212 ISOBUTANOL, 3, III	UN1212 Isobutanol, 3, III	UN1212 ISOBUTANOL, 3, III	UN1212 ISOBUTANOL, 3, III
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
No	No	No	No	No

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation: No data available.

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances: No data available.

Regulation (EC) 1005/2009 on substances that deplete the ozone layer: No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021: No data available.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts

H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

Abbreviations Full Texts

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ALARP	As low as is reasonably practicable
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging Regulations
COSHH	Control of Substances Hazardous to Health
EC Number	European Community Number
EC50	Effective Concentration 50%
EILINCS	European List of Notified Chemical Substances
EINECS	European Inventory of Existing Commercial Chemical Substances
GHS	Globally Harmonised System
HSE	Health & Safety Executive UK
IATA	International Air Transport Association
IM	Intramuscular
IMDG	The International Maritime Dangerous Goods Code
IP	Intraperitoneal
IV	Intravascular
LD50	Lethal Dose 50%
LOEC	Lowest Observable Effective Concentration
LTEL	Long Term Exposure Limit
NOEC	No Observable Effective Concentration
OECD	Organisation for Economic Cooperations and Development
PBT	Persistent Bioaccumulative Toxic
PPE	Personal Protective Equipment
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations Concerning the International Carriage of Dangerous Goods by Rail
SC	Subcutaneous
SDS	Safety Data Sheet
STEL	Short Term Exposure Limit
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL	Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.