GS4502 v3.0



Safety Data Sheet

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

	According to REACH Reg	cording to REACH Regulations (EC) 1907/2006 and (EU) 2020/878			
1.	Identification of the subs	ntification of the substance/mixture and of the company/undertaking			
1.1	Product identifier				
	Product code :	GS4502			
	Product name : Petroleum Ether 40-60°C, GlenPure™, analytical grade				
	CAS number :	: 8032-32-4			
	Physical form :	liquid, substance			
		A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or			
		the registration is envisaged for a later registration deadline.			
1.2	Relevant identified uses	evant identified uses of the substance or mixture and uses advised against			
	PC21: Laboratory chemicals.				
1.3 Details of the supplier of the safety data sheet		the safety data sheet			
	Company name :	Glentham Life Sciences Ltd Telephone : +44 (0) 1225 667 798			
		Unit 5 Leafield Way Fax : +44 (0) 2033 978 909			
		Corsham SN13 9SW Email : info@glentham.com			
		United Kingdom Web : www.glentham.com			
1.4	Emergency telephone nu	mber			
	Emergency telephone : number	NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 – 17.00 GMT)			
2.	Hazards identification	ion			
2.1	Classification of the subs	Classification of the substance or mixture			
	Classification under CLP accore	ding to (EC) 1272/2008			
	H225 Fla	ım. Liq. 2			
	H304 As	Asp. Tox. 1			
	H315 Sk	Skin Irr. 2			
	H335 ST	STOT SE 3			
	H336 ST	STOT SE 3			
	H410 Aq	uatic Chronic 1			
2.2	Label elements				
	Label elements under CLP according to (EC) 1272/2008				
	Pictograms	GHS02 GHS07 GHS08 GHS09			
	Signal words	Danger			
	Hazard statements				
	H225	Highly flammable liquid and vapour			
	H304 H315	May be fatal if swallowed and enters airways Causes skin irritation			
	H335	May cause respiratory irritation			
	H336	May cause drowsiness or dizziness			
	H410	Very toxic to aquatic life with long lasting effects			
	EUH066	Repeated exposure may cause skin dryness or cracking.			
	Precautionary statemen P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources No smoking.			
	P273	Avoid release to the environment.			
	P280	Wear protective gloves/protective clothing/eye protection/face protection.			
	P301+P330+P331	P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.			
	P302+P352				
	P264Wash face, hands and any exposed skin thoroughly after handling.P241Use explosion-proof electrical equipment.				

Glentham

Safety Data Sheet

www.glentham.com

```
P261
```

Avoid breathing vapors.

2.3 Other hazards

PBT

This substance is not identified as a PBT substance.

3.0 Composition/information on ingredients

3.1 Substances

Name	Identifier	%	Classification
Petroleum Ether 40-60°C, GlenPure™, analytical grade	CAS: 8032-32-4 EC: REACH: Not		H225, Flam. Liq. 2 H304, Asp. Tox. 1 H315, Skin Irr. 2
	applicable		H335, STOT SE 3 H336, STOT SE 3 H410, Aquatic Chronic 1

4. First aid measures

4.2

4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye contact	Consult a doctor. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Wash out mouth with water.
Inhalation	Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so.
Most important sy	mptoms and effects, both acute and delayed

Skin contact	There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	The eyes may water profusely. There may be irritation and redness.
Ingestion	Nausea and stomach pain may occur. There may be irritation of the throat. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Drowsiness or mental confusion may occur. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be vomiting.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Drowsiness or mental confusion may occur. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting.

5. Fire-fighting measures

5.1 Extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Water spray.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

Glentham

GS4502 v3.0

Safety Data Sheet

www.glentham.com

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Do not create dust. Eliminate all sources of ignition. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is exhaust ventilation of the area. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. The floor of the storage room must be impermeable to prevent the escape of liquids. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

No workplace exposure limit control parameters set

8.2 Exposure controls

Engineering measures	Ensure lighting and electrical equipment are not a source of ignition. Ensure there is exhaust ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids. Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Ensure eye bath is to hand. Safety glasses.
Skin protection	Protective clothing.
Environmental	The floor of the storage room must be impermeable to prevent the escape of liquids.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Glentham

Safety Data Sheet

www.glentham.com

Physical state Colour Odour Melting point/Freezing point	Liquid Colourless No data available. No data available.
Boiling point/initial boiling point/boiling range	No data available.
Flammability Lower/Upper explosion limit	Extremely flammable No data available
Flash Point	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
рН	No data available.
Kinematic viscosity	No data available.
Solubility	No data available.
Partition coefficient n-octanol/water	No data available.
Vapour pressure	No data available.
Density/relative density	No data available.
Relative vapour pressure	No data available.
Particle characteristics	No data available.

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable at room temperature. Stable under normal conditions.

^{10.3} Possibility of hazardous reactions

Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

^{10.4} Conditions to avoid

Flames. Hot surfaces. Sources of ignition. Heat.

^{10.5} Incompatible materials

Materials to avoid

Carbon dioxide. Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity No data available.

- b) Skin corrosion/irritation
 Skin corrosion/irritation (Category 2)
- c) Serious eye damage/irritation No data available.
- d) Respiratory or skin sensitisation No data available.
- e) Germ cell mutagenicity No data available.
- f) Carcinogenicity No data available.
- g) Reproductive toxicity No data available.
- h) STOT-single exposure



Safety Data Sheet

www.glentham.com

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)

i) STOT-repeated exposure

No data available.

j) Aspiration hazard

Aspiration hazard (Category 1)

Symptoms / routes of exposure

Skin contact	There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	The eyes may water profusely. There may be irritation and redness.
Ingestion	Nausea and stomach pain may occur. There may be irritation of the throat. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Drowsiness or mental confusion may occur. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be vomiting.
Delayed / immediate effects	Delayed effects can be expected after long-term exposure. Drowsiness or mental confusion may occur. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur.
Other information	No data available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

This product does not contain known or suspected endocrine disruptors according to REACH or relevant EU Regulations.

11.2.2 Other information

No additional information

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Not biodegradable.

12.3 Bioaccumulative potential

Bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

^{13.1} Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Glentham LIFE SCIENCES

14.

Safety Data Sheet

www.glentham.com

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
UN1268	UN1268	UN1268	UN1268	UN1268
14.2. UN proper shipping n	ame			
PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.	Petroleum distillates, n.o.s.	PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.
Transport document descr	iption			
UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 40-60°C, GLENPURE™, ANALYTICAL GRADE), 3, I	UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 40-60°C, GLENPURE™, ANALYTICAL GRADE), 3, I	UN1268 Petroleum distillates, n.o.s. (Petroleum Ether 40-60°C, GlenPure™, analytical grade), 3, I	UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 40-60°C, GLENPURE™, ANALYTICAL GRADE), 3, I	UN1268 PETROLEUM DISTILLATES, N.O.S. (PETROLEUM ETHER 40-60°C, GLENPURE™, ANALYTICAL GRADE), 3, I
14.3. Transport hazard clas	ss(es)			
3	3	3	3	3
14.4. Packing group				
l	I	I	I	I
14.5. Environmental hazard	ds			
No	No	No	No	No

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation:	No data available.
Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances:	No data available.
Regulation (EC) 1005/2009 on substances that deplete the ozone layer:	No data available.
Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021:	No data available.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts

H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H335	May cause respiratory irritation

GS4502 v3.0



Safety Data Sheet

www.glentham.com

H336	May cause drowsiness or dizziness				
H410	Very toxic to aquatic life with long lasting effects				
Abbreviations Fu	Abbreviations Full Texts				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways				
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road				
ALARP	As low as is reasonably practicable				
CAS	Chemical Abstracts Service				
CLP	Classification, Labelling and Packaging Regulations				
COSHH	Control of Substances Hazardous to Health				
EC Number	European Community Number				
EC50	Effective Concentration 50%				
EILINCS	European List of Notified Chemical Substances				
EINECS	European Inventory of Existing Commercial Chemical Substances				
GHS	Globally Harmonised System				
HSE	Health & Safety Executive UK				
IATA	International Air Transport Association				
IM	Intramuscular				
IMDG	The International Maritime Dangerous Goods Code				
IP	Intraperitoneal				
IV	Intravascular				
LD50	Lethal Dose 50%				
LOEC	Lowest Observable Effective Concentration				
LTEL	Long Term Exposure Limit				
NOEC	No Observable Effective Concentration				
OECD	Organisation for Economic Cooperations and Development				
PBT	Persistent Bioaccumulative Toxic				
PPE	Personal Protective Equipment				
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals				
RID	Regulations Concerning the International Carriage of Dangerous Goods by Rail				
SC	Subcutaneous				
SDS	Safety Data Sheet				
STEL	Short Term Exposure Limit				
STOT	Specific Target Organ Toxicity				
VOC	Volatile Organic Compounds				
vPvB	Very Persistent and Very Bioaccumulative				
WEL	Workplace Exposure Limits				

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glentham Life Sciences Limited. All rights reserved.