

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

1. Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

: GS6028 Product code

Product name : n-Hexane 99%, GlenUltra™, analytical grade, for GC

: 110-54-3 CAS number Physical form : liquid, substance

REACH : A registration number is not available for this substance as the substance or its uses

are exempted from registration, the annual tonnage does not require a registration or

the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

: Glentham Life Sciences Ltd Company name Telephone +44 (0) 1225 667 798

> Unit 5 Leafield Way Fax +44 (0) 2033 978 909 Corsham SN13 9SW Email info@glentham.com United Kingdom Web : www.glentham.com

1.4 **Emergency telephone number**

Emergency telephone: NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 - 17.00 GMT)

number

2. Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H225 Flam. Liq. 2 H304 Asp. Tox. 1 H315 Skin Irr. 2 STOT SE 3 H335 H336 STOT SE 3 H361 Repr. 2 H373 STOT RE 2 H411 Aquatic Chronic 2

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms









Signal words Danger

Hazard statements

H225 Highly flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness

H361 Suspected of damaging fertility or the unborn child

H373 May cause damage to organs through prolonged or repeated exposure

Toxic to aquatic life with long lasting effects H411

Precautionary statements

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P273 Avoid release to the environment.

P281 Use personal protective equipment as required.

Page 1 of 8

Revision Date: 2023-04-05, Printed: 2024-06-07 20:46:05



www.glentham.com

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P302+P352 IF ON SKIN: wash with plenty of water.

P331 Do NOT induce vomiting.

P264 Wash face, hands and any exposed skin thoroughly after handling.

P241 Use explosion-proof electrical equipment.

P261 Avoid breathing vapors.

2.3 Other hazards

РВТ

This substance is not identified as a PBT substance.

3.0 Composition/information on ingredients

3.1 Substances

| Name | Identifier | % | Classification |
|--|--|-------|---|
| n-Hexane 99%, GlenUltra™, analytical grade, for GC | CAS: 110-54-3 EC: REACH: Not applicable | 99.0% | H225, Flam. Liq. 2 H304, Asp. Tox. 1 H315, Skin Irr. 2 H335, STOT SE 3 H336, STOT SE 3 H361, Repr. 2 H373, STOT RE 2 H411, Aquatic Chronic 2 |

4. First aid measures

4.1 Description of first aid measures

| Skin contact | Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water. |
|--------------|--|
| Eye contact | Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes. |
| Ingestion | Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water. |
| Inhalation | If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so. |

4.2 Most important symptoms and effects, both acute and delayed

| Skin contact | Absorption through the skin may be fatal. Irritation or pain may occur at the site of contact. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact. There may be redness or whiteness of the skin in the area of exposure. |
|--------------|--|
| Eye contact | The eyes may water profusely. There may be irritation and redness. There may be pain and redness. There may be severe pain. |
| Ingestion | Convulsions may occur. Inhalation of fumes from the stomach may cause symptoms similar to direct |

Convulsions may occur. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation. Nausea and stomach pain may occur. Severe poisoning can cause shock, unconsciousness and convulsions. Severe poisoning can cause vision to be blurred or blindness, severe headache and rapid gasping breathing. There may be difficulty swallowing. There may be irritation of the throat. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting. Severe poisoning can cause unconsciousness and severe and persistent nausea and vomiting.

Page 2 of 8 Revision Date: 2023-04-05, Printed: 2024-06-07 20:46:05



www.glentham.com

Inhalation

Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. Drowsiness or mental confusion may occur. Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.

Delayed / immediate effects

Convulsions may occur. Delayed effects can be expected after long-term exposure. Drowsiness or mental confusion may occur. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be loss of consciousness.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

5.1 Extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Water spray.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

Highly flammable. In combustion emits toxic fumes. May form flammable / explosive dust-air mixture. Toxic.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. Eliminate all sources of ignition. Evacuate the area immediately. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Alert the neighbourhood to the presence of fumes or gas. Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Absorb into dry earth or sand. Do not use equipment in clean-up procedure which may produce sparks.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Ensure there is exhaust ventilation of the area. Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Ensure lighting and electrical equipment are not a source of ignition. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

Page 3 of 8 Revision Date: 2023-04-05, Printed: 2024-06-07 20:46:05



www.glentham.com

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

| Substance (CAS) | Control Parameter | Value | Notes | Source |
|---------------------|--|-------|-------|------------------|
| n-Hexane (110-54-3) | Long-term Exposure Limit (ppm) | 72 | | 2006/15/EC |
| | Long-term Exposure Limit (mg m ⁻³) | 20 | | |
| | Long-term Exposure Limit (ppm) | 20 | | UK HSE EH40/2005 |
| | Long-term Exposure Limit (mg m ⁻³) | 72 | | |

8.2 Exposure controls

| Engineering measures | Ensure lighting and electrical equipment are not a source of ignition. Ensure there is exhaust ventilation of the area. Ensure there is sufficient ventilation of the area. |
|------------------------|--|
| Respiratory protection | Particle filter class P1 (EN143). Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency. Self-contained breathing apparatus must be used in handling. |
| Hand protection | Impermeable gloves. Protective gloves. |
| Eye protection | Safety glasses with side-shields. Ensure eye bath is to hand. Safety glasses. |
| Skin protection | Protective clothing. |

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Colourless Odour No data available. Melting point/Freezing point -94.3 °C 68.7 °C Boiling point/initial boiling point/boiling range Highly flammable liquid and vapour Flammability Lower/Upper explosion limit No data available. Flash Point No data available. No data available.

Auto-ignition temperature

Decomposition temperature

Problem 1

No data available.

Partition coefficient n-octanol/water
Vapour pressure

No data available.
No data available.
No data available.

Density/relative density 0.655

Relative vapour pressure No data available. Particle characteristics No data available.

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable at room temperature. Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

Page 4 of 8 Revision Date: 2023-04-05, Printed: 2024-06-07 20:46:05

GS6028 v3.0



Safety Data Sheet

www.glentham.com

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

10.4 Conditions to avoid

Flames. Hot surfaces. Sources of ignition. Heat.

10.5 Incompatible materials

Materials to avoid

Carbon dioxide. Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity

n-Hexane

24 hr LC50 Goldfish (Carassius auratus) (Aquatic): 4 mg/L

1 hr LC50 Rat (Inhalation): 77000 ppm 4 hr LC50 Rat (Inhalation): 48000 ppm

LD50 Rat (Oral): 45 mL/kg LD50 Mouse (Oral): 5000 mg/kg

b) Skin corrosion/irritation

Skin corrosion/irritation (Category 2)

c) Serious eye damage/irritation

No data available.

d) Respiratory or skin sensitisation

No data available.

e) Germ cell mutagenicity

No data available.

f) Carcinogenicity

No data available.

g) Reproductive toxicity

Reproductive toxicity (Category 2)

h) STOT-single exposure

Specific target organ toxicity, single exposure; Respiratory tract irritation (Category 3)

i) STOT-repeated exposure

Specific target organ toxicity, repeated exposure (Category 2)

j) Aspiration hazard

Aspiration hazard (Category 1)

Symptoms / routes of exposure

| Skin contact | Absorption through the skin may be fatal. Irritation or pain may occur at the site of contact. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact. There may be redness or whiteness of the skin in the area of exposure. |
|--------------|--|
| Eye contact | The eyes may water profusely. There may be irritation and redness. There may be pain and redness. There may be severe pain. |
| Ingestion | Convulsions may occur. Inhalation of fumes from the stomach may cause symptoms similar to direct inhalation. Nausea and stomach pain may occur. Severe poisoning can cause shock, unconsciousness and convulsions. Severe poisoning can cause vision to be blurred or blindness, severe headache and rapid gasping breathing. There may be difficulty swallowing. There may be irritation of the throat. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting. Severe poisoning can cause unconsciousness and severe and persistent nausea and vomiting. |

Page 5 of 8 Revision Date: 2023-04-05, Printed: 2024-06-07 20:46:05



www.glentham.com

Inhalation

Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. Drowsiness or mental confusion may occur. Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.

Delayed / immediate effects

Convulsions may occur. Delayed effects can be expected after long-term exposure. Drowsiness or mental confusion may occur. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be loss of consciousness.

Other information

No data available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

This product does not contain known or suspected endocrine disruptors according to REACH or relevant EU Regulations.

11.2.2 Other information

No additional information

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Not biodegradable.

12.3 Bioaccumulative potential

Bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NΒ

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

| ADR | IMDG | IATA | ADN | RID |
|-------------------------------|---------|---------|---------|---------|
| 14.1. UN number | | | | |
| UN1208 | UN1208 | UN1208 | UN1208 | UN1208 |
| 14.2. UN proper shipping name | | | | |
| HEXANES | HEXANES | Hexanes | HEXANES | HEXANES |

Page 6 of 8 Revision Date: 2023-04-05, Printed: 2024-06-07 20:46:05



www.glentham.com

| Transport document description | | | | |
|--------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| UN1208 HEXANES, 3, II | UN1208 HEXANES, 3, II | UN1208 Hexanes, 3, II | UN1208 HEXANES, 3, II | UN1208 HEXANES, 3, II |
| 14.3. Transport hazard class | s(es) | | | |
| 3 | 3 | 3 | 3 | 3 |
| A | | | | <u>₩</u> |
| 14.4. Packing group | | | | |
| II | II | II | II | II |
| 14.5. Environmental hazards | • | | | |
| No | No | No | No | No |

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to

No data available.

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing No data available.

on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer:

No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No No data available. 2019/1021:

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts

H225 Highly flammable liquid and vapour
H304 May be fatal if swallowed and enters airways
H315 Causes skin irritation

H315 Causes skin irritation
H335 May cause respiratory irritation

H336 May cause drowsiness or dizziness

H361 Suspected of damaging fertility or the unborn child

H373 May cause damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects

Abbreviations Full Texts

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ALARP As low as is reasonably practicable CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulations
COSHH Control of Substances Hazardous to Health

EC Number European Community Number





www.glentham.com

EC50 Effective Concentration 50%

EILINCS European List of Notified Chemical Substances

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System
HSE Health & Safety Executive UK
IATA International Air Transport Association

IM Intramuscular

IMDG The International Maritime Dangerous Goods Code

IP Intraperitoneal IV Intravascular LD50 Lethal Dose 50%

LOEC Lowest Observable Effective Concentration

LTEL Long Term Exposure Limit

NOEC No Observable Effective Concentration

OECD Organisation for Economic Cooperations and Development

PBT Persistent Bioaccumulative Toxic
PPE Personal Protective Equipment

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SC Subcutaneous SDS Safety Data Sheet

STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
VOC Volatile Organic Compounds

vPvB Very Persistent and Very Bioaccumulative

WEL Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glentham Life Sciences Limited. All rights reserved.

Page 8 of 8 Revision Date: 2023-04-05, Printed: 2024-06-07 20:46:05