

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : GX0545
 Product name : Lithium hydroxide, anhydrous, 99%
 CAS number : 1310-65-2
 Physical form : solid, substance
 REACH : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company name	: Glentham Life Sciences Ltd	Telephone	: +44 (0) 1225 667 798
	Unit 5 Leafield Way	Fax	: +44 (0) 2033 978 909
	Corsham SN13 9SW	Email	: info@glentham.com
	United Kingdom	Web	: www.glentham.com

1.4 Emergency telephone number

Emergency telephone : NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 – 17.00 GMT) number

2. Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H302	Acute Tox. 4
H314	Skin Corr. 1B
H318	Eye Dam. 1

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms



GHS05 GHS07

Signal words

Danger

Hazard statements

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P264	Do not breathe fume.
P260	Do not breathe dust.

2.3 Other hazards

PBT

This substance is not identified as a PBT substance.

3.0 Composition/information on ingredients

3.1 Substances

Name	Identifier	%	Classification
Lithium hydroxide, anhydrous, 99%	CAS: 1310-65-2 EC: REACH: Not applicable	98.5%	H302, Acute Tox. 4 H314, Skin Corr. 1B H318, Eye Dam. 1

4. First aid measures

4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water.
Eye contact	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water.
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. The vision may become blurred. There may be pain and redness. There may be severe pain.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. Severe poisoning can cause shock, unconsciousness and convulsions. Severe poisoning can cause vision to be blurred or blindness, severe headache and rapid gasping breathing. There may be bleeding from the mouth or nose. There may be difficulty swallowing. There may be soreness and redness of the mouth and throat. Severe poisoning can cause unconsciousness and severe and persistent nausea and vomiting.
Inhalation	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat.
Delayed / immediate effects	Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. Eye bathing equipment should be available on the premises.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

Corrosive. In combustion emits toxic fumes. Toxic.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Keep container tightly closed. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Substance (CAS)	Control Parameter	Value	Notes	Source
Lithium hydroxide (1310-65-2)	Short-term Exposure Limit (mg m ⁻³)	1		UK HSE EH40/2005

8.2 Exposure controls

Engineering measures	Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self-contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Safety glasses with side-shields. Tightly fitting safety goggles. Ensure eye bath is to hand. Safety glasses.
Skin protection	Protective clothing.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Colour	White
Odour	No data available.
Melting point/Freezing point	450 °C
Boiling point/initial boiling point/boiling range	No data available.
Flammability	No data available.
Lower/Upper explosion limit	No data available.
Flash Point	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
pH	No data available.
Kinematic viscosity	No data available.
Solubility	110 g/L @ 20 °C
Partition coefficient n-octanol/water	No data available.
Vapour pressure	No data available.
Density/relative density	1.460
Relative vapour pressure	No data available.
Particle characteristics	No data available.

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Materials to avoid

Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity

Lithium hydroxide

4 hr LC50 Rat (Inhalation): 960 mg/m3

b) Skin corrosion/irritation

Skin corrosion/irritation (Category 1B)

c) Serious eye damage/irritation

Serious eye damage/eye irritation (Category 1)

d) Respiratory or skin sensitisation

No data available.

e) Germ cell mutagenicity

No data available.

f) Carcinogenicity

No data available.

g) Reproductive toxicity

No data available.

h) STOT-single exposure

No data available.

i) STOT-repeated exposure

No data available.

j) Aspiration hazard

No data available.

Symptoms / routes of exposure

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. The vision may become blurred. There may be pain and redness. There may be severe pain.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. Severe poisoning can cause shock, unconsciousness and convulsions. Severe poisoning can cause vision to be blurred or blindness, severe headache and rapid gasping breathing. There may be bleeding from the mouth or nose. There may be difficulty swallowing. There may be soreness and redness of the mouth and throat. Severe poisoning can cause unconsciousness and severe and persistent nausea and vomiting.
Inhalation	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat.
Delayed / immediate effects	Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose.
Other information	No data available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

This product does not contain known or suspected endocrine disruptors according to REACH or relevant EU Regulations.

11.2.2 Other information

No additional information

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods






Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN2680	UN2680	UN2680	UN2680	UN2680
14.2. UN proper shipping name				
LITHIUM HYDROXIDE	LITHIUM HYDROXIDE	Lithium hydroxide	LITHIUM HYDROXIDE	LITHIUM HYDROXIDE
Transport document description				
UN2680 LITHIUM HYDROXIDE (LITHIUM HYDROXIDE, ANHYDROUS, 99%), 8, II	UN2680 LITHIUM HYDROXIDE (LITHIUM HYDROXIDE, ANHYDROUS, 99%), 8, II	UN2680 Lithium hydroxide (Lithium hydroxide, anhydrous, 99%), 8, II	UN2680 LITHIUM HYDROXIDE (LITHIUM HYDROXIDE, ANHYDROUS, 99%), 8, II	UN2680 LITHIUM HYDROXIDE (LITHIUM HYDROXIDE, ANHYDROUS, 99%), 8, II
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
No	No	No	No	No

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation: No data available.

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances: No data available.

Regulation (EC) 1005/2009 on substances that deplete the ozone layer: No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021: No data available.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

Abbreviations Full Texts

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ALARP	As low as is reasonably practicable
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging Regulations
COSHH	Control of Substances Hazardous to Health
EC Number	European Community Number
EC50	Effective Concentration 50%
EILINCS	European List of Notified Chemical Substances
EINECS	European Inventory of Existing Commercial Chemical Substances
GHS	Globally Harmonised System
HSE	Health & Safety Executive UK
IATA	International Air Transport Association
IM	Intramuscular
IMDG	The International Maritime Dangerous Goods Code
IP	Intraperitoneal
IV	Intravascular
LD50	Lethal Dose 50%
LOEC	Lowest Observable Effective Concentration
LTCL	Long Term Exposure Limit
NOEC	No Observable Effective Concentration
OECD	Organisation for Economic Cooperations and Development
PBT	Persistent Bioaccumulative Toxic
PPE	Personal Protective Equipment
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations Concerning the International Carriage of Dangerous Goods by Rail
SC	Subcutaneous
SDS	Safety Data Sheet
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL	Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glentham Life Sciences Limited. All rights reserved.