

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : GX2309

Product name : Didecyldimethylammonium chloride, 80% solution

CAS number : 7173-51-5
EINECS : 230-525-2
Physical form : liquid, mixture

REACH : A registration number is not available for this substance as the substance or its uses

are exempted from registration, the annual tonnage does not require a registration or

the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

Details of the supplier of the safety data sheet

Company name : Glentham Life Sciences Ltd Telephone : +44 (0) 1225 667 798

Unit 5 Leafield Way Fax : +44 (0) 2033 978 909
Corsham SN13 9SW Email : info@glentham.com
United Kingdom Web : www.glentham.com

1.4 Emergency telephone number

Emergency telephone: NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 - 17.00 GMT)

number

1.3

2.1

2. Hazards identification

Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

 H226
 Flam. Liq. 3

 H301
 Acute Tox. 3

 H314
 Skin Corr. 1B

 H318
 Eye Dam. 1

 H330
 Acute Tox. 2

 H400
 Aquatic Acute 1

 H412
 Aquatic Chronic 3

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms







GHS02 GHS05 GHS06 GHS09

Signal words Danger

Hazard statements

H226 Flammable liquid and vapour

H301 Toxic if swallowed

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H330 Fatal if inhaled H400 Very toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

Precautionary statements

P260 Do not breathe vapors.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Page 1 of 8

Revision Date: 2024-11-15, Printed: 2024-11-15 11:55:42



www.glentham.com

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do - continue rinsing.

P310

Immediately call a POISON CENTER or doctor.

2.3 Other hazards

PBT

This substance is not identified as a PBT substance.

Composition/information on ingredients 3.0

3.2

Name	Identifier	%	Classification
Didecyldimethylammonium chloride	CAS: 7173-51-5 EC: REACH: Not applicable	80	H302, Acute Tox. 4 H314, Skin Corr. 1B
Ethanol	CAS: 64-17-5 EC: 200-578-6 REACH: Not applicable	10	H225, Flam. Liq. 2 H319, Eye Irr. 2A

4. First aid measures

Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning.
Eye contact	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water.
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Consult a doctor. Remove casualty from exposure ensuring one's own safety whilst doing so.
Most important sy	mptoms and effects, both acute and delayed

4.2

lost important symptoms and effects, both acute and delayed			
Skin contact	Absorption through the skin may be fatal. Blistering may occur. Irritation or pain may occur at the site of contact. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be redness or whiteness of the skin in the area of exposure.		
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness. There may be severe pain.		
Ingestion	Blood may be vomited. Convulsions may occur. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting.		
Inhalation	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting. There may be irritation of the throat with a feeling of tightness in the chest.		
Delayed / immediate effects	Convulsions may occur. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose. There may be loss of		

stomach pain may occur. There may be bleeding from the mouth or nose. There may be loss of consciousness.

Page 2 of 8 Revision Date: 2024-11-15, Printed: 2024-11-15 11:55:42



www.glentham.com

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatmen

Do not induce vomiting. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. Eye bathing equipment should be available on the premises.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

Corrosive. In combustion emits toxic fumes. Toxic.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Turn leaking containers leak-side up to prevent the escape of liquid. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Contain the spillage using bunding. Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Absorb into dry earth or sand.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is exhaust ventilation of the area. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Page 3 of 8 Revision Date: 2024-11-15, Printed: 2024-11-15 11:55:42



www.glentham.com

Substance (CAS)	Control Parameter	Value	Notes	Source
Ethanol (64-17-5)	Long-term Exposure Limit (ppm)	1000		UK HSE EH40/2005
	Long-term Exposure Limit (mg m ⁻³)	1920		

8.2 Exposure controls

Engineering measures	Ensure there is exhaust ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids. Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Impermeable gloves. Protective gloves (EN 374).
Eye protection	Safety glasses with side-shields. Tightly fitting safety goggles. Ensure eye bath is to hand. Safety glasses (EN 166).
Skin protection	Protective clothing.
Environmental	The floor of the storage room must be impermeable to prevent the escape of liquids.

Flammable liquid and vapour

9. Physical and chemical properties

Flammability

9.1 Information on basic physical and chemical properties

Physical state Liquid
Colour Colourless
Odour No data available.

Melting point/Freezing point 88 °C

Boiling point/initial boiling point/boiling range No data available.

Lower/Upper explosion limit No data available.

Flash Point No data available.

Auto-ignition temperature 350°C

Decomposition temperature No data available. pH No data available.

Kinematic viscosity

No data available.

Solubility

No data available.

650 mg/L @ 25 °C

Partition coefficient n-octanol/water
Vapour pressure
Density/relative density
Relative vapour pressure
No data available.
No data available.
No data available.
No data available.

9.2 Other information

No data available.

Particle characteristics

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

No data available.

10.4 Conditions to avoid

Flames. Hot surfaces. Heat.

10.5 Incompatible materials

Page 4 of 8 Revision Date: 2024-11-15, Printed: 2024-11-15 11:55:42



www.glentham.com

Materials to avoid

Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity

Ethanol

10 hr LC50 Rat (Inhalation): 20000 ppm 4 hr LC50 Mouse (Inhalation): 39 g/m3

LD50 Mouse (IP): 0.9 g/L LD50 Mouse (IV): 2 g/L LD50 Rat (Oral): 5628 mg/kg LD50 Mouse (SC): 8.3 g/L

b) Skin corrosion/irritation

Skin corrosion/irritation (Category 1B)

c) Serious eye damage/irritation

Serious eye damage/eye irritation (Category 1)

d) Respiratory or skin sensitisation

No data available.

e) Germ cell mutagenicity

No data available.

f) Carcinogenicity

No data available.

g) Reproductive toxicity

No data available.

h) STOT-single exposure

No data available.

i) STOT-repeated exposure

No data available.

j) Aspiration hazard

No data available.

Symptoms / routes of exposure

Skin contact	Absorption through the skin may be fatal. Blistering may occur. Irritation or pain may occur at the site of contact. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be redness or whiteness of the skin in the area of exposure.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness. There may be severe pain.
Ingestion	Blood may be vomited. Convulsions may occur. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting. There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects	Convulsions may occur. Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose. There may be loss of consciousness.
Other information	No data available.

Information on other hazards

11.2



www.glentham.com

11.2.1 Endocrine disrupting properties

This product does not contain known or suspected endocrine disruptors according to REACH or relevant EU Regulations.

11.2.2 Other information

No additional information

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Not biodegradable.

12.3 Bioaccumulative potential

Bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN2920	UN2920	UN2920	UN2920	UN2920
14.2. UN proper shipping nam	ne			
CORROSIVE LIQUID, FLAMMABLE, N.O.S.	CORROSIVE LIQUID, FLAMMABLE, N.O.S.	Corrosive liquid, flammable, n.o.s.	CORROSIVE LIQUID, FLAMMABLE, N.O.S.	CORROSIVE LIQUID, FLAMMABLE, N.O.S.
Transport document descript	ion			
UN2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (DIDECYLDIMETHYL AMMONIUM CHLORIDE, 80% SOLUTION), 8 (3), II	UN2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (DIDECYLDIMETHYL AMMONIUM CHLORIDE, 80% SOLUTION), 8 (3), II	UN2920 Corrosive liquid, flammable, n.o.s. (Didecyldimeth ylammonium chloride, 80% solution), 8 (3), II	UN2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (DIDECYLDIMETHYL AMMONIUM CHLORIDE, 80% SOLUTION), 8 (3), II	UN2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (DIDECYLDIMETHYL AMMONIUM CHLORIDE, 80% SOLUTION), 8 (3), II

Page 6 of 8 Revision Date: 2024-11-15, Printed: 2024-11-15 11:55:42



Revision Date: 2024-11-15, Printed: 2024-11-15 11:55:42

www.glentham.com

14.3. Transport hazard cl	ass(es)			
8 (3)	8 (3)	8 (3)	8 (3)	8 (3)
14.4. Packing group				
II	II	II	II	II
14.5. Environmental haza	ards			
No	No	No	No	No

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to
authorisation:

No data available.

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing No data available. on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer:

No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No

No data available.

2019/1021:

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts

H225 Highly flammable liquid and vapour

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H319 Causes serious eye irritation

Abbreviations Full Texts

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ALARP As low as is reasonably practicable

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulations
COSHH Control of Substances Hazardous to Health

EC Number European Community Number EC50 Effective Concentration 50%

EILINCS European List of Notified Chemical Substances

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System
HSE Health & Safety Executive UK
IATA International Air Transport Association

IM Intramuscular

IMDG The International Maritime Dangerous Goods Code

IP Intraperitoneal
IV Intravascular
LD50 Lethal Dose 50%

LOEC Lowest Observable Effective Concentration

LTEL Long Term Exposure Limit

NOEC No Observable Effective Concentration

OECD Organisation for Economic Cooperations and Development

PBT Persistent Bioaccumulative Toxic
PPE Personal Protective Equipment





www.glentham.com

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SC Subcutaneous SDS Safety Data Sheet

STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
VOC Volatile Organic Compounds

vPvB Very Persistent and Very Bioaccumulative

WEL Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glentham Life Sciences Limited. All rights reserved.

Page 8 of 8 Revision Date: 2024-11-15, Printed: 2024-11-15 11:55:42