GX4206 v2.0



## Safety Data Sheet

www.glentham.com

## According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

	Silver Wire 0.1 mm	diameter, 99.995%	CAS: 7440-22-4 EC: BEACH: Not	99	.995%	H400, Aquatic Acute 1 H410, Aquatic Chronic 1	
	Name		Identifier	%		Classification	
1	Substances						
.0	Composition/information on ingredients						
_							
	This substance is not	identified as a PBT subst	ance.				
	РВТ						
	Other hazards						
	P273		the environment.				
		Precautionary statements					
	H400 H410	Very toxic to aqu	uatic life uatic life with long lasting		e		
	Signal words Hazard statements	Warning					
	Signal words	Warping					
		GHS09					
	Pictograms	¥2					
	Label elements under CLP according to (EC) 1272/2008						
2	Label elements						
	H410	Aquatic Chronic 1					
	H400	Aquatic Acute 1					
	Classification under CLP according to (EC) 1272/2008						
	Classification of the substance or mixture						
	Hazards identification	1					
	Emergency telephone number	e: NHS Direct 111 (UK,	24 hours), 112 (EU, 24 ŀ	lours),	+44 (0)	1225 667 798 (09.00 – 17.00 GMT)	
L		Emergency telephone number					
		Corsham SN13 9SW United Kingdom	Email Web	:		lentham.com entham.com	
	Company name	: Glentham Life Scienc Unit 5 Leafield Way	es Ltd Telephor Fax	ie : :		1225 667 798 2033 978 909	
	Details of the supplie	r of the safety data sheet					
	PC21: Laboratory che	micals.					
2	Relevant identified us	ses of the substance or m	nixture and uses advised	l again	ist		
	Product code Product name CAS number Physical form REACH	are exempted from re	ameter, 99.995% is not available for this s gistration, the annual tor isaged for a later registra	nage	does not		
	Product identifier						
		ubstance/mixture and of	the company/undertakir	ıg			
	According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878						

REACH: Not applicable

GX4206 v2.0

## Safety Data Sheet

www.glentham.com

#### 4. First aid measures

4.1

4.2

Description of first aid measures		
Skin contact	Wash immediately with plenty of soap and water.	
Eye contact	Bathe the eye with running water for 15 minutes.	
Ingestion	Wash out mouth with water.	
Inhalation	Consult a doctor.	
Most important sy	mptoms and effects, both acute and delayed	
Skin contact	There may be mild irritation at the site of contact.	

Eye contact	There may be irritation and redness.
Ingestion	There may be irritation of the throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects	Immediate effects can be expected after short-term exposure.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment No data available.

#### 5. Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media for the surrounding fire should be used.

#### 5.2 Special hazards arising from the substance or mixture

Exposure hazards

In combustion emits toxic fumes.

#### 5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

#### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Mark out the contaminated area with signs and prevent access to unauthorised personnel. Refer to section 8 of SDS for personal protection details.

#### 6.2 Environmental precautions

Do not discharge into drains or rivers.

#### 6.3 Methods and material for containment and cleaning up

#### Clean-up procedures

Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4 Reference to other sections

Refer to section 8 of SDS.

#### 7. Handling and storage

#### 7.1 Precautions for safe handling

Handling requirements

Avoid the formation or spread of dust in the air.

#### 7.2 Conditions for safe storage, including any incompatibilities



# Safety Data Sheet

www.glentham.com

#### Storage conditions

Avoid contact with water or humidity. Keep container tightly closed. Store in cool, well ventilated area.

#### 7.3 Specific end use(s)

No data available.

#### 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits

Substance (CAS)	Control Parameter	Value	Notes	Source
Silver, metallic (7440-22-4)	Long-term Exposure Limit (ppm)	0.1		2000/39/EC
	Long-term Exposure Limit (mg m <sup>-3</sup> )	0.1		UK HSE EH40/2005

#### 8.2 Exposure controls

Engineering measures	No data available.
Respiratory protection	Respiratory protective device with particle filter.
Hand protection	Protective gloves.
Eye protection	Ensure eye bath is to hand. Safety glasses.
Skin protection	Protective clothing.

#### 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical state	Solid
Colour	Grey
Odour	No data available.
Melting point/Freezing point	960.5 °C
Boiling point/initial boiling point/boiling range	2000 °C (approx)
Flammability	No data available.
Lower/Upper explosion limit	No data available.
Flash Point	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
рН	No data available.
Kinematic viscosity	No data available.
Solubility	No data available.
Partition coefficient n-octanol/water	No data available.
Vapour pressure	No data available.
Density/relative density	10.490
Relative vapour pressure	No data available.
Particle characteristics	No data available.

#### 9.2 Other information

No data available.

#### 10. Stability and reactivity

#### 10.1 Reactivity

Stable under recommended transport or storage conditions.

#### <sup>10.2</sup> Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions



# Safety Data Sheet

www.glentham.com

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

10.4 Conditions to avoid Heat. 10.5 Incompatible materials Materials to avoid Strong acids. Strong oxidising agents. 11. **Toxicological information** 11.1 Information on toxicological effects a) Acute toxicity Silver, metallic LD50 Rat (Dermal): >2000 mg/kg LD50 Rat (Oral): >5000 mg/kg b) Skin corrosion/irritation No data available. C) Serious eye damage/irritation No data available. d) Respiratory or skin sensitisation No data available. e) Germ cell mutagenicity No data available. f) Carcinogenicity No data available. g) **Reproductive toxicity** No data available. h) STOT-single exposure No data available. i) STOT-repeated exposure No data available. j) Aspiration hazard No data available. 11.2 Symptoms / routes of exposure Skin contact There may be mild irritation at the site of contact. Eye contact There may be irritation and redness. Ingestion There may be irritation of the throat. Inhalation There may be irritation of the throat with a feeling of tightness in the chest. Delayed / immediate effects Immediate effects can be expected after short-term exposure. Other information No data available. **Ecological information** 12. 12.1 Toxicity No data available.

<sup>12.2</sup> Persistence and degradability

Not biodegradable.

<sup>12.3</sup> Bioaccumulative potential

Bioaccumulation potential.

GX4206 v2.0

# **Glentham** LIFE SCIENCES

## Safety Data Sheet

www.glentham.com

Mobility in soil				
No data available.				
Results of PBT and vPvB	3 assessment			
This substance is not ide	ntified as a PBT substand	ce.		
Endocrine disrupting pro	operties			
This substance is not ide	ntified as having endocrir	ne disrupting properties		
Other adverse effects				
No data available.				
Disposal considerations				
Waste treatment method	s			
Disposal operations				
	ntainer and arrange for co	llection by specialised dis	posal company.	
NB				
I ne user's attention is dr	awn to the possible existe	ence of regional or nationa	al regulations regarding di	sposai.
Transport information				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
UN3077	UN3077	UN3077	UN3077	UN3077
14.2. UN proper shipping nar	ne			
ENVIRONMENTALL	ENVIRONMENTALL	Environmentally	ENVIRONMENTALL	ENVIRONMENTALL
Y HAZARDOUS SUBSTANCE,	Y HAZARDOUS SUBSTANCE,	hazardous	Y HAZARDOUS SUBSTANCE,	Y HAZARDOUS SUBSTANCE,
SOLID, N.O.S.	SOLID, N.O.S.	substance, solid, n.o.s.	SOLID, N.O.S.	SOLID, N.O.S.
Transport document descript				
UN3077 ENVIRONM ENTALLY	UN3077 ENVIRONM ENTALLY	UN3077 Environmentally	UN3077 ENVIRONM ENTALLY	UN3077 ENVIRONM ENTALLY
HAZARDOUS	HAZARDOUS	hazardous	HAZARDOUS	HAZARDOUS
SUBSTANCE,	SUBSTANCE,	substance, solid,	SUBSTANCE,	SUBSTANCE,
SOLID, N.O.S. (SILVER WIRE 0.1	SOLID, N.O.S. (SILVER WIRE 0.1	n.o.s. (Silver Wire 0.1 mm diameter,	SOLID, N.O.S. (SILVER WIRE 0.1	SOLID, N.O.S. (SILVER WIRE 0.1
MM DIAMETER,	MM DIAMETER,	99.995%), 9, III	MM DIAMETER,	MM DIAMETER,
99.995%), 9, III	99.995%), 9, III		99.995%), 9, III	99.995%), 9, III
14.3. Transport hazard class(	es)			
9	9	9	9	9
	AT.	affh.	Â,	ATh.
<u>9</u>	<u></u>	<u></u>		2
14.4. Packing group			·	
in a contrag group		III	III	III
	III			
	III			
III				
III			×	× ×
III	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the

# **Glentham** LIFE SCIENCES

## **Safety Data Sheet**

www.glentham.com

#### 15. **Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

#### Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation:	No data available.
Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances:	No data available.
Regulation (EC) 1005/2009 on substances that deplete the ozone layer:	No data available.
Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021:	No data available.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### Other information 16.

H-Statement Full Texts				
H400	Very toxic to aquatic life			
H410	Very toxic to aquatic life with long lasting effects			
Abbreviations Full Texts				

#### Abbreviations Full Texts

~~	bieviations i an	
	ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
	ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
	ALARP	As low as is reasonably practicable
	CAS	Chemical Abstracts Service
	CLP	Classification, Labelling and Packaging Regulations
	COSHH	Control of Substances Hazardous to Health
	EC Number	European Community Number
	EC50	Effective Concentration 50%
	EILINCS	European List of Notified Chemical Substances
	EINECS	European Inventory of Existing Commercial Chemical Substances
	GHS	Globally Harmonised System
	HSE	Health & Safety Executive UK
	IATA	International Air Transport Association
	IM	Intramuscular
	IMDG	The International Maritime Dangerous Goods Code
	IP	Intraperitoneal
	IV	Intravascular
	LD50	Lethal Dose 50%
	LOEC	Lowest Observable Effective Concentration
	LTEL	Long Term Exposure Limit
	NOEC	No Observable Effective Concentration
	OECD	Organisation for Economic Cooperations and Development
	PBT	Persistent Bioaccumulative Toxic
	PPE	Personal Protective Equipment
	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
	RID	Regulations Concerning the International Carriage of Dangerous Goods by Rail
	SC	Subcutaneous
	SDS	Safety Data Sheet
	STEL	Short Term Exposure Limit
	VOC	Volatile Organic Compounds
	vPvB	Very Persistent and Very Bioaccumulative
	WEL	Workplace Exposure Limits

## This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.