

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

#### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

Product code : GX5054

Product name : Osmium(VIII) oxide, 99.9%

: 20816-12-0 CAS number **EINECS** : 244-058-7 Physical form : solid, substance

REACH : A registration number is not available for this substance as the substance or its uses

are exempted from registration, the annual tonnage does not require a registration or

the registration is envisaged for a later registration deadline.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

#### 1.3 Details of the supplier of the safety data sheet

Company name : Glentham Life Sciences Ltd Telephone +44 (0) 1225 667 798

> Unit 5 Leafield Way Fax +44 (0) 2033 978 909 Corsham SN13 9SW Email info@glentham.com United Kingdom Web www.glentham.com

#### 1.4 **Emergency telephone number**

Emergency telephone: NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 - 17.00 GMT)

#### **Hazards identification** 2.

#### 2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H300 Acute Tox. 2 Acute Tox. 2 H310 H314 Skin Corr. 1B H330 Acute Tox. 1 H334 Resp. Sens. 1

#### 2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

# **Pictograms**







Signal words Danger

# **Hazard statements**

H300 Fatal if swallowed H310 Fatal in contact with skin

H314 Causes severe skin burns and eye damage

H330

May cause allergy or asthma symptoms or breathing difficulties if inhaled H334

#### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P284 [In case of inadequate ventilation] Wear respiratory protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P302+P350 IF ON SKIN: Gently wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do - continue rinsing.

Page 1 of 7 Revision Date: 2023-04-05, Printed: 2023-05-05 04:58:31



www.glentham.com

P310 P261 Immediately call a POISON CENTER or doctor/physician. Avoid breathing dust.

#### 2.3 Other hazards

прт

This substance is not identified as a PBT substance.

# 3.0 Composition/information on ingredients

#### 3.1 Substances

Identifier	%	Classification
CAS: 20816-12-0 EC: 244-058-7 REACH: Not applicable	99.90%	H300, Acute Tox. 2 H310, Acute Tox. 2 H314, Skin Corr. 1B H330, Acute Tox. 1
	CAS: 20816-12-0 EC: 244-058-7 REACH: Not	CAS: 20816-12-0 99.90% EC: 244-058-7 REACH: Not

#### 4. First aid measures

#### 4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water.
Eye contact	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water.
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Remove casualty from exposure ensuring one's own safety whilst doing so. Transfer to hospital as soon as possible. Consult a doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

Skin contact	Absorption through the skin may be fatal. Blistering may occur. Irritation or pain may occur at the site of contact. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be redness or whiteness of the skin in the area of exposure.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness. There may be severe pain.
Ingestion	Blood may be vomited. Convulsions may occur. Corrosive burns may appear around the lips. There may be bleeding from the mouth or nose. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.
Delayed / immediate effects	Convulsions may occur. Immediate effects can be expected after short-term exposure. There may be bleeding from the mouth or nose. There may be loss of consciousness.

# 4.3 Indication of any immediate medical attention and special treatment needed

#### Immediate / special treatment

Do not induce vomiting. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. Eye bathing equipment should be available on the premises.

Page 2 of 7 Revision Date: 2023-04-05, Printed: 2023-05-05 04:58:31



www.glentham.com

#### 5. Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2 Special hazards arising from the substance or mixture

#### Exposure hazards

Corrosive. In combustion emits toxic fumes. Toxic.

# 5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

# 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

#### 6.2 Environmental precautions

Do not discharge into drains or rivers.

#### 6.3 Methods and material for containment and cleaning up

#### Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Absorb into dry earth or sand.

#### 6.4 Reference to other sections

Refer to section 8 of SDS.

#### 7. Handling and storage

#### 7.1 Precautions for safe handling

#### Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is exhaust ventilation of the area. Ensure there is sufficient ventilation of the area.

#### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Avoid contact with water or humidity. Keep container tightly closed. Store in cool, well ventilated area.

# 7.3 Specific end use(s)

No data available.

#### 8. Exposure controls/personal protection

## 8.1 Control parameters

#### Workplace exposure limits

Substance (CAS)	Control Parameter	Value	Notes	Source
Osmium tetraoxide (as Os) (20816-12-0)	Long-term Exposure Limit (ppm)	0.0002		UK HSE EH40/2005
	Long-term Exposure Limit (mg m <sup>-3</sup> )	0.002		
	Short-term Exposure Limit (ppm)	0.0006		
	Short-term Exposure Limit (mg m <sup>-3</sup> )	0.006		

#### 8.2 Exposure controls

Page 3 of 7 Revision Date: 2023-04-05, Printed: 2023-05-05 04:58:31



# www.glentham.com

Engineering measures	Ensure there is exhaust ventilation of the area. Ensure there is sufficient ventilation of the area.
Respiratory protection	Particle filter class P1 (EN143). Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Impermeable gloves. Protective gloves.
Eye protection	Ensure eye bath is to hand. Safety glasses with side-shields. Tightly fitting safety goggles. Safety glasses.
Skin protection	Protective clothing.

# 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Physical state Solid Colour Yellow

Odour No data available.

Melting point/Freezing point 40.6 °C

Boiling point/initial boiling point/boiling range 130.0 °C @ Press: 760 Torr

Flammability

Lower/Upper explosion limit

Flash Point

Auto-ignition temperature

Decomposition temperature

pH

No data available.

Kinematic viscosity

Solubility

Partition coefficient n-octanol/water

Vapour pressure

No data available.

No data available.

No data available.

No data available.

Density/relative density 4.900

Relative vapour pressure No data available. Particle characteristics No data available.

# 9.2 Other information

No data available.

### 10. Stability and reactivity

#### 10.1 Reactivity

Stable under recommended transport or storage conditions.

# 10.2 Chemical stability

Stable under normal conditions.

# 10.3 Possibility of hazardous reactions

#### Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

# 10.4 Conditions to avoid

Heat.

#### 10.5 Incompatible materials

Materials to avoid

Strong acids. Strong oxidising agents.

#### 11. Toxicological information

### 11.1 Information on toxicological effects

# a) Acute toxicity

Osmium tetraoxide (as Os)

Page 4 of 7 Revision Date: 2023-04-05, Printed: 2023-05-05 04:58:31

GX5054 v2.0



# **Safety Data Sheet**

www.glentham.com

96 hr LC50 Copepod (Nitocra spinipes) (Aquatic): Oct-50 ug/L

LD50 Rat (IP): 14.1 mg/kg LD50 Mouse (IP): 13.5 mg/kg LD50 Mouse (Oral): 162 mg/kg

b) Skin corrosion/irritation

Skin corrosion/irritation (Category 1B)

c) Serious eye damage/irritation

No data available.

d) Respiratory or skin sensitisation

Osmium tetraoxide (as Os): Respiratory Sensitising (majority submitters) (ECHA Property of Concern)

e) Germ cell mutagenicity

No data available.

f) Carcinogenicity

No data available.

g) Reproductive toxicity

No data available.

h) STOT-single exposure

No data available.

i) STOT-repeated exposure

No data available.

j) Aspiration hazard

No data available.

# 11.2 Symptoms / routes of exposure

Skin contact	Absorption through the skin may be fatal. Blistering may occur. Irritation or pain may occur at the site of contact. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be redness or whiteness of the skin in the area of exposure.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness. There may be severe pain.
Ingestion	Blood may be vomited. Convulsions may occur. Corrosive burns may appear around the lips. There may be bleeding from the mouth or nose. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.
Delayed / immediate effects	Convulsions may occur. Immediate effects can be expected after short-term exposure. There may be bleeding from the mouth or nose. There may be loss of consciousness.
Other information	No data available.

# 12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

Page 5 of 7 Revision Date: 2023-04-05, Printed: 2023-05-05 04:58:31



www.glentham.com

This substance is not identified as a PBT substance.

# 12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

# 12.7 Other adverse effects

No data available.

#### 13. Disposal considerations

# 13.1 Waste treatment methods

#### Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# 14. Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN2471	UN2471	UN2471	UN2471	UN2471
14.2. UN proper shipping na	ame			
OSMIUM TETROXIDE	OSMIUM TETROXIDE	Osmium tetroxide	OSMIUM TETROXIDE	OSMIUM TETROXIDE
Transport document descri	ption			
UN2471 OSMIUM TETROXIDE, 6.1, I				
14.3. Transport hazard class	s(es)			
6.1	6.1	6.1	6.1	6.1
		6	•	(e)
14.4. Packing group				
I	ı	I	I	I
14.5. Environmental hazard	s			
No	No	No	No	No

# 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

#### Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation:

No data available.

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing No data available. on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer:

No data available.

Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No

No data available.

2019/1021:

15.2 Chemical safety assessment



www.glentham.com

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### 16. Other information

#### **H-Statement Full Texts**

H300 Fatal if swallowed H310 Fatal in contact with skin

H314 Causes severe skin burns and eye damage

H330 Fatal if inhaled

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

#### **Abbreviations Full Texts**

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ALARP As low as is reasonably practicable

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulations
COSHH Control of Substances Hazardous to Health

EC Number European Community Number EC50 Effective Concentration 50%

EILINCS European List of Notified Chemical Substances

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System
HSE Health & Safety Executive UK
IATA International Air Transport Association

IM Intramuscular

IMDG The International Maritime Dangerous Goods Code

IP Intraperitoneal
IV Intravascular
LD50 Lethal Dose 50%

LOEC Lowest Observable Effective Concentration

LTEL Long Term Exposure Limit

NOEC No Observable Effective Concentration

OECD Organisation for Economic Cooperations and Development

PBT Persistent Bioaccumulative Toxic
PPE Personal Protective Equipment

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SC Subcutaneous
SDS Safety Data Sheet
STEL Short Term Exposure Limit
VOC Volatile Organic Compounds

vPvB Very Persistent and Very Bioaccumulative

WEL Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Page 7 of 7 Revision Date: 2023-04-05, Printed: 2023-05-05 04:58:31