

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : GX6223

Product name : Chromium(III) chloride, anhydrous, 97%

CAS number : 10025-73-7
EINECS : 233-038-3
Physical form : solid, substance

REACH : A registration number is not available for this substance as the substance or its uses

are exempted from registration, the annual tonnage does not require a registration or

the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company name : Glentham Life Sciences Ltd Telephone : +44 (0) 1225 667 798

Unit 5 Leafield Way Fax : +44 (0) 2033 978 909
Corsham SN13 9SW Email : info@glentham.com
United Kingdom Web : www.glentham.com

1.4 Emergency telephone number

Emergency telephone: NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 - 17.00 GMT)

number

2.1

2. Hazards identification

Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

 H302
 Acute Tox. 4

 H314
 Skin Corr. 1B

 H317
 Skin Sens. 1

 H334
 Resp. Sens. 1

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms







Signal words Danger

Hazard statements

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage
H317 May cause an allergic skin reaction

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P285 In case of inadequate ventilation wear respiratory protection.

P301+P312 IF SWALLOWED: call a POISON CENTER/doctor/... IF you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do - continue rinsing.

P264 Do not breathe fume. P261 Avoid breathing dust.

2.3 Other hazards

PBT

Page 1 of 7 Revision Date: 2023-04-05, Printed: 2023-05-05 04:35:44



www.glentham.com

This substance is not identified as a PBT substance.

3.0 Composition/information on ingredients

3.1 Substances

Name	Identifier	%	Classification
Chromium(III) chloride, anhydrous, 97%	CAS: 10025-73-7 EC: 233-038-3 REACH: Not applicable	97.0%	H302, Acute Tox. 4 H314, Skin Corr. 1B H317, Skin Sens. 1 H334, Resp. Sens. 1

4. First aid measures

4.1 Description of first aid measures

Skin contact	Still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water.
Eye contact	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water.
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Remove casualty from exposure ensuring one's own safety whilst doing so. Transfer to hospital as soon as possible. Consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. The vision may become blurred. There may be irritation and redness. There may be pain and redness. There may be severe pain.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose. There may be soreness and redness of the mouth and throat.
Inhalation	Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat.
Delayed / immediate effects	Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting. Eye bathing equipment should be available on the premises.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

Page 2 of 7 Revision Date: 2023-04-05, Printed: 2023-05-05 04:35:44



www.glentham.com

Corrosive. In combustion emits toxic fumes.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Keep container tightly closed. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

No workplace exposure limit control parameters set

8.2 Exposure controls

Engineering measures	Ensure there is sufficient ventilation of the area.		
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.		
Hand protection	Protective gloves.		
Eye protection	Ensure eye bath is to hand. Tightly fitting safety goggles. Safety glasses.		
Skin protection	Protective clothing.		

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Solid
Colour Purple

Odour No data available.

Page 3 of 7 Revision Date: 2023-04-05, Printed: 2023-05-05 04:35:44

GX6223 v2.0



Safety Data Sheet

www.glentham.com

Melting point/Freezing point

Boiling point/initial boiling point/boiling range

Flammability

Lower/Upper explosion limit

Flash Point

Auto-ignition temperature Decomposition temperature

рΗ

Kinematic viscosity

Solubility

Partition coefficient n-octanol/water

Vapour pressure
Density/relative density
Relative vapour pressure
Particle characteristics

2.870 No data available.

1150 °C No data available.

No data available.

No data available. No data available.

No data available

No data available. No data available.

No data available.

585 g/L @ 25 °C

No data available. No data available.

No data available.

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Materials to avoid

Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity

No data available.

b) Skin corrosion/irritation

Skin corrosion/irritation (Category 1B)

c) Serious eye damage/irritation

No data available.

d) Respiratory or skin sensitisation

Sensitization, Skin (Category 1)

e) Germ cell mutagenicity

No data available.

f) Carcinogenicity

No data available.

g) Reproductive toxicity

No data available.

h) STOT-single exposure

No data available.

i) STOT-repeated exposure

Page 4 of 7

Revision Date: 2023-04-05, Printed: 2023-05-05 04:35:44



www.glentham.com

No data available.

j) Aspiration hazard

No data available.

11.2 Symptoms / routes of exposure

Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. There may be mild irritation at the site of contact.
Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. The vision may become blurred. There may be irritation and redness. There may be pain and redness. There may be severe pain.
Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose. There may be soreness and redness of the mouth and throat.
Inhalation	Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat.
Delayed / immediate effects	Immediate effects can be expected after short-term exposure. Nausea and stomach pain may occur. There may be bleeding from the mouth or nose.
Other information	No data available.

12. Ecological information

12.1 Toxicity

24 hr EC50 Algae (Pseudokirchneriella subcapitata): 562 ug/L

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
UN3260	UN3260	UN3260	UN3260	UN3260	

Page 5 of 7 Revision Date: 2023-04-05, Printed: 2023-05-05 04:35:44



www.glentham.com

14.2. UN proper shipping nan	ne			
CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	Corrosive solid, acidic, inorganic, n.o.s.	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
Transport document descript	tion			
UN3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (CHROMIUM(III) CHLORIDE, ANHYDROUS, 97%), 8, III	UN3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (CHROMIUM(III) CHLORIDE, ANHYDROUS, 97%), 8, III	UN3260 Corrosive solid, acidic, inorganic, n.o.s. (Chromium(III) chloride, anhydrous, 97%), 8, III	UN3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (CHROMIUM(III) CHLORIDE, ANHYDROUS, 97%), 8, III	UN3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (CHROMIUM(III) CHLORIDE, ANHYDROUS, 97%), 8, III
14.3. Transport hazard class(es)			
8	8	8	8	8
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
No	No	No	No	No

15. **Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation:

No data available.

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing No data available. on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer: No data available. Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No No data available.

2019/1021:

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage H317 May cause an allergic skin reaction

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

Abbreviations Full Texts

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ALARP As low as is reasonably practicable CAS

Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulations COSHH Control of Substances Hazardous to Health

EC Number **European Community Number**





www.glentham.com

EC50 Effective Concentration 50%

EILINCS European List of Notified Chemical Substances

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System
HSE Health & Safety Executive UK

IATA International Air Transport Association

IM Intramuscular

IMDG The International Maritime Dangerous Goods Code

IP Intraperitoneal IV Intravascular LD50 Lethal Dose 50%

LOEC Lowest Observable Effective Concentration

LTEL Long Term Exposure Limit

NOEC No Observable Effective Concentration

OECD Organisation for Economic Cooperations and Development

PBT Persistent Bioaccumulative Toxic
PPE Personal Protective Equipment

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SC Subcutaneous
SDS Safety Data Sheet
STEL Short Term Exposure Limit
VOC Volatile Organic Compounds

vPvB Very Persistent and Very Bioaccumulative

WEL Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Page 7 of 7 Revision Date: 2023-04-05, Printed: 2023-05-05 04:35:44