

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : GX8743

Product name : Nickel Powder max. 10 micron, 99.9%

CAS number : 7440-02-0 Physical form : solid, substance

REACH : A registration number is not available for this substance as the substance or its uses

are exempted from registration, the annual tonnage does not require a registration or

the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

Company name : Glentham Life Sciences Ltd Telephone : +44 (0) 1225 667 798

Unit 5 Leafield Way Fax : +44 (0) 2033 978 909
Corsham SN13 9SW Email : info@glentham.com
United Kingdom Web : www.glentham.com

1.4 Emergency telephone number

Emergency telephone: NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 - 17.00 GMT)

number

2. Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

 H317
 Skin Sens. 1

 H351
 Carc. 2

 H372
 STOT RE 1

 H412
 Aquatic Chronic 3

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms





GHS07 GHS08

Signal words Danger

Hazard statements

H317 May cause an allergic skin reaction H351 Suspected of causing cancer

H372 Causes damage to organs through prolonged or repeated exposure

H412 Harmful to aquatic life with long lasting effects

Precautionary statements

P201 Obtain special instructions before use.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P261 Avoid breathing dust. P264 Do not breathe fume.

2.3 Other hazards

PBT

This substance is not identified as a PBT substance.

Page 1 of 7 Revision Date: 2023-04-05, Printed: 2023-05-04 17:47:24



www.glentham.com

3.0 Composition/information on ingredients

3.1 Substances

Name	Identifier	%	Classification
Nickel Powder max. 10 micron, 99.9%	CAS: 7440-02-0 EC: REACH: Not applicable	99.9%	H317, Skin Sens. 1 H351, Carc. 2 H372, STOT RE 1 H412, Aquatic Chronic 3

4. First aid measures

4.1 Description of first aid measures

Skin contact	Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning.
Eye contact	Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes.
Ingestion	Consult a doctor. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouth with water.
Inhalation	If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Remove casualty from exposure ensuring one's own safety whilst doing so. Transfer to hospital as soon as possible. Consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact	Absorption through the skin may be fatal. Irritation or pain may occur at the site of contact. There may be mild irritation at the site of contact. There may be redness or whiteness of the skin in the area of exposure.
Eye contact	The eyes may water profusely. There may be irritation and redness. There may be severe pain.
Ingestion	Convulsions may occur. There may be irritation of the throat. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.
Delayed / immediate effects	Convulsions may occur. Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. There may be loss of consciousness.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate / special treatment

Do not induce vomiting. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2 Special hazards arising from the substance or mixture

Exposure hazards

In combustion emits toxic fumes. Toxic.

5.3 Advice for fire-fighters

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

Page 2 of 7 Revision Date: 2023-04-05, Printed: 2023-05-04 17:47:24



www.glentham.com

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. Evacuate the area immediately. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Alert the neighbourhood to the presence of fumes or gas. Do not discharge into drains or rivers.

6.3 Methods and material for containment and cleaning up

Clean-up procedures

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Absorb into dry earth or sand.

6.4 Reference to other sections

Refer to section 8 of SDS

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Ensure there is exhaust ventilation of the area. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Keep container tightly closed. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

No workplace exposure limit control parameters set

8.2 Exposure controls

Engineering measures	Ensure there is exhaust ventilation of the area. Ensure there is sufficient ventilation of the area.
Respiratory protection	Particle filter class P1 (EN143). Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Impermeable gloves. Protective gloves.
Eye protection	Ensure eye bath is to hand. Safety glasses with side-shields. Safety glasses.
Skin protection	Protective clothing.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Solid Colour Grey

Odour No data available.
Melting point/Freezing point 1455 °C

Boiling point/initial boiling point/boiling range

Flammability No data available. Lower/Upper explosion limit No data available.

Page 3 of 7 Revision Date: 2023-04-05, Printed: 2023-05-04 17:47:24

2730 °C

GX8743 v2.0



Safety Data Sheet

www.glentham.com

Flash Point

Auto-ignition temperature
Decomposition temperature

Hq

Kinematic viscosity

Solubility

Partition coefficient n-octanol/water

Vapour pressure Density/relative density Relative vapour pressure Particle characteristics No data available. 8 908

No data available. No data available.

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

10.4 Conditions to avoid

Flames. Hot surfaces. Heat.

10.5 Incompatible materials

Materials to avoid

Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity

No data available.

b) Skin corrosion/irritation

No data available.

c) Serious eye damage/irritation

No data available.

d) Respiratory or skin sensitisation

Sensitization, Skin (Category 1)

e) Germ cell mutagenicity

No data available.

f) Carcinogenicity

No data available.

g) Reproductive toxicity

No data available.

h) STOT-single exposure

No data available.

) STOT-repeated exposure

Specific target organ toxicity, repeated exposure (Category 1)

j) Aspiration hazard

No data available.

Page 4 of 7

Revision Date: 2023-04-05, Printed: 2023-05-04 17:47:24



www.glentham.com

11.2 Symptoms / routes of exposure

Skin contact	Absorption through the skin may be fatal. Irritation or pain may occur at the site of contact. There may be mild irritation at the site of contact. There may be redness or whiteness of the skin in the area of exposure.
Eye contact	The eyes may water profusely. There may be irritation and redness. There may be severe pain.
Ingestion	Convulsions may occur. There may be irritation of the throat. There may be loss of consciousness. There may be soreness and redness of the mouth and throat. There may be vomiting.
Inhalation	Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be irritation of the throat with a feeling of tightness in the chest. There may be loss of consciousness. There may be shortness of breath with a burning sensation in the throat. There may be vomiting.
Delayed / immediate effects	Convulsions may occur. Delayed effects can be expected after long-term exposure. Immediate effects can be expected after short-term exposure. There may be loss of consciousness.
Other information	No data available.

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NE

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN3089	UN3089	UN3089	UN3089	UN3089
14.2. UN proper shipping name				
METAL POWDER, FLAMMABLE, N.O.S.	METAL POWDER, FLAMMABLE, N.O.S.	Metal powder, flammable, n.o.s.	METAL POWDER, FLAMMABLE, N.O.S.	METAL POWDER, FLAMMABLE, N.O.S.

Page 5 of 7 Revision Date: 2023-04-05, Printed: 2023-05-04 17:47:24



www.glentham.com

Transport doc	ument d	lescri	ption
---------------	---------	--------	-------

UN3089 METAL POWDER, FLAMMABLE, N.O.S. (NICKEL POWDER MAX. 10 MICRON. 99.9%), 4.1, II

UN3089 METAL **POWDER** FLAMMABLE, N.O.S. (NICKEL POWDER MAX. 10 MICRON. 99.9%), 4.1, II

UN3089 Metal powder, flammable, n.o.s. (Nickel Powder max. 10 micron, 99.9%), 4.1, II

UN3089 METAL POWDER, FLAMMABLE, N.O.S. (NICKEL POWDER MAX. 10 MICRON. 99.9%), 4.1, II

UN3089 METAL **POWDER** FLAMMABLE, N.O.S. (NICKEL POWDER MAX. 10 MICRON. 99.9%), 4.1, II

14.3. Transport hazard class(es)

4.1











14.4. Packing group

Ш

14.5. Environmental hazards

Ш

Ш

No No No

15. **Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to

No data available.

Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing 13 Jan 2016, Entry No.: 27 on the market and use of certain dangerous substances:

Regulation (EC) 1005/2009 on substances that deplete the ozone layer: Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No No data available. No data available.

2019/1021:

Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

15.2

H-Statement Full Texts

H317 May cause an allergic skin reaction H351 Suspected of causing cancer

H372 Causes damage to organs through prolonged or repeated exposure

H412 Harmful to aquatic life with long lasting effects

Abbreviations Full Texts

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ALARP As low as is reasonably practicable

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging Regulations COSHH Control of Substances Hazardous to Health

EC Number European Community Number





www.glentham.com

EC50 Effective Concentration 50%

EILINCS European List of Notified Chemical Substances

EINECS European Inventory of Existing Commercial Chemical Substances

GHS Globally Harmonised System
HSE Health & Safety Executive UK

IATA International Air Transport Association

IM Intramuscular

IMDG The International Maritime Dangerous Goods Code

IP Intraperitoneal IV Intravascular LD50 Lethal Dose 50%

LOEC Lowest Observable Effective Concentration

LTEL Long Term Exposure Limit

NOEC No Observable Effective Concentration

OECD Organisation for Economic Cooperations and Development

PBT Persistent Bioaccumulative Toxic
PPE Personal Protective Equipment

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SC Subcutaneous
SDS Safety Data Sheet
STEL Short Term Exposure Limit
VOC Volatile Organic Compounds

vPvB Very Persistent and Very Bioaccumulative

WEL Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/787.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Page 7 of 7 Revision Date: 2023-04-05, Printed: 2023-05-04 17:47:24