GX9138 v3.0



Safety Data Sheet

www.glentham.com

According to REACH Regulations (EC) 1907/2006 and (EU) 2020/878

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

1.

: GX9138
: Calcium hydroxide, 96%
: 1305-62-0
: 215-137-3
: solid, substance
: A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

PC21: Laboratory chemicals.

1.3 Details of the supplier of the safety data sheet

:	Glentham Life Sciences Ltd	Telephone	:	+44 (0) 1225 667 798
	Unit 5 Leafield Way	Fax	:	+44 (0) 2033 978 909
	Corsham SN13 9SW	Email	:	info@glentham.com
	United Kingdom	Web	:	www.glentham.com
	:	Corsham SN13 9SW	Unit 5 Leafield Way Fax Corsham SN13 9SW Email	Unit 5 Leafield WayFaxCorsham SN13 9SWEmail

1.4 Emergency telephone number

Emergency telephone : NHS Direct 111 (UK, 24 hours), 112 (EU, 24 Hours), +44 (0) 1225 667 798 (09.00 – 17.00 GMT) number

2. Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP according to (EC) 1272/2008

H315	Skin Irr. 2
H318	Eye Dam. 1
H335	STOT SE 3
H336	STOT SE 3

2.2 Label elements

Label elements under CLP according to (EC) 1272/2008

Pictograms



Signal words	Danger
Hazard statements	
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
Precautionary statement	S
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P264	Do not breathe fume.
Other hazards	

PBT

2.3

Glentham

www.glentham.com

This substance is not identified as a PBT substance.

Name Identifier % Classification Calcium hydroxide, 96% CAS: 1305-62-0 94.0% H315, Skin Irr. 2 EC: 215-137-3 H318, Eye Dam. 1 REACH: Not applicable H335, STOT SE 3 First aid measures Bister Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance still on skin. Remove all contaminated olcthes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of scap and water. Eye contact Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water 15 minutes. Ingestion Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathin and apply artificial respiration if necessary. Transfer to hospital as scon as possible. Wash out mow with water. Inhalation If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as scon as possible. Consult a doctor. Remove casualty from exposure ensuring one's ow safety whilst doing so. Most important symptoms and effects, both acute and delayed Skin contact Bistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness.	Substances				
EC: 215-137-3 H318, Eye Dam. 1 REACH: Not H335, STOT SE 3 applicable H336, STOT SE 3 First aid measures Description of first aid measures Skin contact Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water. Eye contact Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and paply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mou with water. Infeation If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If uncessary. Transfer to hospital as soon as possible. Wash out mou with water. Inhalation If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Consult a doctor. Remove casualty from exposure ensuring one's ow safety whilst doing so. Most important symptoms and effects, both acute and delayed Skin c	Name		Identifier	%	Classification
Description of first aid measures Skin contact Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water. Eye contact Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water f 15 minutes. Ingestion Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathin and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mou with water. Inhalation If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Consult a doctor. Remove casualty from exposure ensuring one's ow safety whilst doing so. Most important symptoms and effects, both acute and delayed Skin contact Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness. Ingestion Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from t mouth or nose. There may be soreness and redness of the mouth and throat. Inhalation Exposure may cause c	Calcium hydroxid	e, 96%	EC: 215-137-3 REACH: Not	94.0%	H318, Eye Dam. 1 H335, STOT SE 3
Skin contact Consult a doctor. Drench the affected skin with running water for 10 minutes or longer if substance still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water. Eye contact Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water 15 minutes. Ingestion Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathin and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mou with water. Inhalation If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Consult a doctor. Remove casualty from exposure ensuring one's ow safety whilst doing so. Most important symptoms and effects, both acute and delayed Skin contact Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness. Ingestion Biood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from t mouth or nose. There may be soreness and redness of the mouth and throat. Inhalation Eye contact Corneal burns may occur. May cause permanent damage. The eyes may	First aid measures				
Still on skin. Remove all contaminated clothes and footwear immediately unless stuck to skin. Transfer to hospital if there are burns or symptoms of poisoning. Wash immediately with plenty of soap and water. Eye contact Consult a doctor. Transfer to hospital for specialist examination. Bathe the eye with running water for 15 minutes. Ingestion Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouwith water. Inhalation If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Consult a doctor. Remove casualty from exposure ensuring one's ow safety whilst doing so. Most important symptoms and effects, both acute and delayed Skin contact Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness. Ingestion Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from t mouth or nose. There may be soreness and redness of the mouth and throat. Interestion Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from t mouth or nose. There may be soreness of breath with a burning sensation in the throat.<	Description of first	aid measures			
Ingestion Consult a doctor. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathin and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mou with water. Inhalation If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Consult a doctor. Remove casualty from exposure ensuring one's ow safety whilst doing so. Most important symptoms and effects, both acute and delayed Skin contact Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. Eye contact Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There m be irritation and redness. Ingestion Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from t mouth or nose. There may be soreness and redness of the mouth and throat. Inhalation Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat. Delayed / immediate Immediate effects can be expected after short-term exposure. There may be bleeding from the mouth	Skin contact	still on skin. Remove Transfer to hospital if	all contaminated clothes a	and footwear in	mmediately unless stuck to skin.
unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Wash out mouwith water. Inhalation If breathing becomes bubbly, have the casualty sit and provide oxygen if available. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. Transfer to hospital as soon as possible. Consult a doctor. Remove casualty from exposure ensuring one's ow safety whilst doing so. Most important symptoms and effects, both acute and delayed Skin contact Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. Eye contact Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness. Ingestion Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from to mouth or nose. There may be soreness and redness of the mouth and throat. Inhalation Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat. Delayed / immediate Immediate effects can be expected after short-term exposure. There may be bleeding from the mouth effects	Eye contact		nsfer to hospital for specia	ilist examination	on. Bathe the eye with running water fo
Instruction of the second structure of the seco	Ingestion	unconscious and bre and apply artificial re	athing is OK, place in the r	ecovery posit	ion. If unconscious, check for breathing
Skin contact Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact. Eye contact Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness. Ingestion Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from to mouth or nose. There may be soreness and redness of the mouth and throat. Inhalation Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat. Delayed / immediate effects can be expected after short-term exposure. There may be bleeding from the mouth	Inhalation	ensure the casualty s position. If unconscio hospital as soon as p	sits or lies down. If unconso us, check for breathing an possible. Consult a doctor.	cious and brea d apply artifici	athing is OK, place in the recovery al respiration if necessary. Transfer to
Eye contact Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There m be irritation and redness. Ingestion Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from t mouth or nose. There may be soreness and redness of the mouth and throat. Inhalation Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat. Delayed / immediate effects can be expected after short-term exposure. There may be bleeding from the mouth	Most important syr	nptoms and effects, both	acute and delayed		
Ingestion Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from t mouth or nose. There may be soreness and redness of the mouth and throat. Inhalation Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat. Delayed / immediate effects Immediate effects can be expected after short-term exposure. There may be bleeding from the mouth	Skin contact			l occur if treat	ment is not immediate. There may be
Inhalation Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat. Delayed / immediate effects Immediate effects can be expected after short-term exposure. There may be bleeding from the model	Eye contact	•	•	nt damage. Tł	ne eyes may water profusely. There ma
Delayed / immediate effects Immediate effects can be expected after short-term exposure. There may be bleeding from the mole effects	Ingestion				
effects	Inhalation				
			n be expected after short-t	erm exposure	. There may be bleeding from the mout

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

Special hazards arising from the substance or mixture

Exposure hazards

Corrosive. In combustion emits toxic fumes.

5.3 Advice for fire-fighters

5.2



Safety Data Sheet

www.glentham.com

Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Notify the police and fire brigade immediately. Refer to section 8 of SDS for personal protection details.

6.2 Environmental precautions

Do not discharge into drains or rivers.

Methods and material for containment and cleaning up

Clean-up procedures

6.3

Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4 Reference to other sections

Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements

Avoid direct contact with the substance. Avoid the formation or spread of dust in the air. Do not handle in a confined space. Ensure there is sufficient ventilation of the area.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Avoid contact with water or humidity. Keep container tightly closed. Store in cool, well ventilated area.

7.3 Specific end use(s)

No data available.

8. Exposure controls/personal protection

Control parameters

8.1

Workplace exposure limits

Substance (CAS)	Control Parameter	Value	Notes	Source
Calcium dihydroxide (1305-62-0)	Long-term Exposure Limit (ppm)	1		(EU) 2017/164
	Short-term Exposure Limit (ppm)	4		
	Long-term Exposure Limit (mg m ⁻³)	5	Respirable fraction	UK HSE EH40/2005
	Short-term Exposure Limit (mg m ⁻³)	-4	Inaction	
Calcium hydroxide (1305-62-0)	Long-term Exposure Limit (ppm)	1		(EU) 2017/164
` ,	Short-term Exposure Limit (ppm)	4	D	
	Long-term Exposure Limit (mg m ⁻³)	5	Respirable fraction	UK HSE EH40/2005
	Short-term Exposure Limit (mg m ⁻³)	-4	naotion	

8.2 Exposure controls

Glentham LIFE SCIENCES

Safety Data Sheet

www.glentham.com

Engineering measures	Ensure there is sufficient ventilation of the area.
Respiratory protection	Respiratory protective device with particle filter. Self- contained breathing apparatus must be available in case of emergency.
Hand protection	Protective gloves.
Eye protection	Tightly fitting safety goggles. Ensure eye bath is to hand. Safety glasses.
Skin protection	Protective clothing.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Solid
Colour	White
Odour	No data available.
Melting point/Freezing point	580 °C (decomp)
Boiling point/initial boiling point/boiling range	No data available.
Flammability	Non flammable
Lower/Upper explosion limit	No data available.
Flash Point	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
рН	No data available.
Kinematic viscosity	No data available.
Solubility	1.845 g/L @ 20 °C
Partition coefficient n-octanol/water	No data available.
Vapour pressure	No data available.
Density/relative density	2.240
Relative vapour pressure	No data available.
Particle characteristics	No data available.
4h	

9.2 Other information

No data available.

10. Stability and reactivity

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable under normal conditions.

^{10.3} Possibility of hazardous reactions

Hazardous reactions

Decomposition may occur on exposure to conditions or materials listed below. Hazardous reactions will not occur under normal transport or storage conditions.

^{10.4} Conditions to avoid

Heat.

^{10.5} Incompatible materials

Materials to avoid

Strong acids. Strong oxidising agents.

11. Toxicological information

11.1 Information on toxicological effects

a) Acute toxicity

Calcium dihydroxide No data available. Calcium hydroxide No data available.

b) Skin corrosion/irritation

Glentham

Safety Data Sheet

www.glentham.com

	Skin corrosion/irritation	n (Category 2)		
c)	Serious eye damage/i			
	Serious eye damage/e	eye irritation (Category 1)		
d)	Respiratory or skin se	ensitisation		
	No data available.			
e)	Germ cell mutagenicit	у		
	No data available.			
f)	Carcinogenicity No data available.			
)				
g)	Reproductive toxicity No data available.			
h)				
11)	STOT-single exposure Specific target organ t	exicity, single exposure; Respiratory tract irritation (Category 3)		
i)	STOT-repeated expos	ure		
	No data available.			
j)	Aspiration hazard			
	No data available.			
	Symptoms / routes of	exposure		
	Skin contact	Blistering may occur. Progressive ulceration will occur if treatment is not immediate. There may be irritation and redness at the site of contact.		
	Eye contact	Corneal burns may occur. May cause permanent damage. The eyes may water profusely. There may be irritation and redness.		
	Ingestion	Blood may be vomited. Corrosive burns may appear around the lips. There may be bleeding from the mouth or nose. There may be soreness and redness of the mouth and throat.		
	Inhalation	Exposure may cause coughing or wheezing. There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat.		
	Delayed / immediate effects	Immediate effects can be expected after short-term exposure. There may be bleeding from the mouth or nose.		
	Other information	No data available.		

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

This product does not contain known or suspected endocrine disruptors according to REACH or relevant EU Regulations.

11.2.2 Other information

No additional information

12. Ecological information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This substance is not identified as a PBT substance.

12.6 Endocrine disrupting properties



Safety Data Sheet

www.glentham.com

This substance is not identified as having endocrine disrupting properties

12.7 Other adverse effects

No data available.

13. Disposal considerations

13.1 Waste treatment methods

Disposal operations

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

This product does not require a classification for transport.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances subject to authorisation:	No data available.
Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances:	No data available.
Regulation (EC) 1005/2009 on substances that deplete the ozone layer:	No data available.
Regulation (EC) 850/2004 on persistent organic pollutants, amended by (EU) No 2019/1021:	No data available.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

H-Statement Full Texts

 H315
 Causes skin irritation

 H318
 Causes serious eye damage

 H335
 May cause respiratory irritation

 H336
 May cause drowsiness or dizziness

 Abbreviations Full Texts
 ADN

 ADN
 European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

 ADR
 European Agreement concerning the International Carriage of Dangerous Goods by Road

 ALARP
 As low as is reasonably practicable

ADR	European Agreement concerning the international Carriage of Dangerous Goods by Road
ALARP	As low as is reasonably practicable
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging Regulations
COSHH	Control of Substances Hazardous to Health
EC Number	European Community Number
EC50	Effective Concentration 50%
EILINCS	European List of Notified Chemical Substances
EINECS	European Inventory of Existing Commercial Chemical Substances
GHS	Globally Harmonised System
HSE	Health & Safety Executive UK
IATA	International Air Transport Association
IM	Intramuscular
IMDG	The International Maritime Dangerous Goods Code
IP	Intraperitoneal
IV	Intravascular

Glentham

Safety Data Sheet

www.glentham.com

LD50	Lethal Dose 50%
LOEC	Lowest Observable Effective Concentration
LTEL	Long Term Exposure Limit
NOEC	No Observable Effective Concentration
OECD	Organisation for Economic Cooperations and Development
PBT	Persistent Bioaccumulative Toxic
PPE	Personal Protective Equipment
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations Concerning the International Carriage of Dangerous Goods by Rail
SC	Subcutaneous
SDS	Safety Data Sheet
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
WEL	Workplace Exposure Limits

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Disclaimer: Glentham Life Sciences shall not be held liable for any damage resulting from handling or from contact with the above product. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This document does not guarantee the properties or quality of the product.

Copyright © 2023 Glentham Life Sciences Limited. All rights reserved.