Glentham LIFE SCIENCES

Glentham Life Sciences Ltd Unit 5 Leafield Way Corsham SN13 9SW United Kingdom

- t: +44 (0) 1225 667 798
- f: +44 (0) 2033 978 909
- e: info@glentham.com

w: www.glentham.com

Certificate of Analysis

| Property | Specification | Batch 295AAO |
|--------------------------------|----------------------------------|--------------|
| Physical Description | White to off-white powder | White powder |
| Identification (IR) | To conform to standard | Conforms |
| Residue on Ignition | ≤ 0.1% | Conforms |
| Any Individual Impurity (HPLC) | ≤ 0.1% | Conforms |
| Total Impurities (HPLC) | ≤ 0.5% | Conforms |
| Enantiomeric Purity | ≤ 1.0% (of Levomedetomidine HCI) | Conforms |
| Loss on Drying | ≤ 1.0% (105, 3h) | 0.5% |
| Assay (Titration) | 98.0 - 102.0 % (dried vasis) | 100.2% |
| Pharmacopoeia Specification(s) | USP | Conforms |
| | | |

| Specification Version | v1.0 |
|-----------------------|------------|
| Manufacture Date | 2024-08-10 |
| Re-Test Date | 2031-09-09 |

Glentham Life Sciences confirm that the above referenced product conformed to the information displayed in this document on the quality release date. Please check www.glentham.com or contact us using the details above for the current version of this document.

This document was generated electronically and is therefore valid without signature. © Glentham Life Sciences Ltd, 2025