Glentham LIFE SCIENCES

Glentham Life Sciences Ltd Unit 5 Leafield Way Corsham SN13 9SW United Kingdom

- t: +44 (0) 1225 667 798
- f: +44 (0) 2033 978 909
- e: info@glentham.com

w: www.glentham.com

Certificate of Analysis

Property	Specification	Batch 001UYP
Physical Description	White to off-white or beige powder	Conforms
Identification	According to USP	Conforms
Residue on Ignition	≤ 0.1%	Conforms
Heavy Metals	≤ 10ppm	Conforms
Impurity A	≤ 1.0%	0.42%
Impurity B	≤ 0.2%	0.02%
Impurity C	≤ 0.1%	Not detected
Any Unspecified Impurity	≤ 0.1%	0.02%
Total Impurities	≤ 0.3% (exc. A)	0.09%
Water	≤ 2.0%	0.4%
UV Absorption	≤ 0.02 (420nm)	0.01
Assay	98.0 - 102.0 % (anhydrous basis)	100.2%
Pharmacopoeia Specification(s)	USP	Conforms to USP

Specification Version	v1.0
Manufacture Date	2018-05-26
Re-Test Date	2024-08-02

Glentham Life Sciences confirm that the above referenced product conformed to the information displayed in this document on the quality release date. Please check www.glentham.com or contact us using the details above for the current version of this document.

This document was generated electronically and is therefore valid without signature. © Glentham Life Sciences Ltd, 2024